

2026/2027





# Discover our product world!

On the following pages we will introduce you to our clever bicycle accessories. If you would like to find out more about the individual products, use the product website link or scan the QR code and click through our detailed website. Get to know SIGMAS' product diversity in product videos and find out more about how it can be used in our tutorials. In the FAQ area you will find quick answers to frequently asked questions. Have fun!

-  Videos
-  Tutorials
-  Manuals
-  FAQs



## BC 5.0<sup>WR</sup>

### BEGINNER WITH FLAIR

#### FEATURES:

- Current Speed
- Distance
- Total Distance
- Ride Time
- Clock (12/24h)
- Displays functions using icons
- Predefined tire sizes
- Ride Time up to 100 h
- Adjustable scan mode
- Automatic start/stop
- Watertight in accordance with IPX8
- UFSB-compatible



## BC 8.0<sup>WR</sup>

### ADVANCED BEGINNERS

#### FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Distance
- Total distance
- Ride time
- Total ride time
- Clock (12/24h)
- Full text display with seven available languages
- Predefined tire sizes
- Automatic start/stop
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB



## BC 10.0<sup>WR</sup>

### ACHIEVE YOUR BEST TIME

#### FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Maximum speed
- Distance
- Total distance
- Ride time
- Total ride time
- Clock (12/24h)
- Current temperature
- Full text display with seven available languages
- Predefined tire sizes
- Automatic start/stop
- Data retention when batteries are replaced (settings and total values)
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB



## BC 12.0<sup>WR</sup>

### SPORTY STATISTICIANS

#### FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Maximum speed
- Distance
- Total distance (Bike 1/Bike 2)
- Ride time
- Total ride time (Bike 1/Bike 2)
- Clock (12/24h)
- Current temperature
- Current cadence\*
- Full text display with seven available languages
- Predefined tire sizes
- Can be used for two bikes
- Automatic start/stop
- Data retention when batteries are replaced (settings and total values)
- Battery status indicator (computer head)
- Workout statistics for 12 months
- Backlight
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB



## BC 14.0<sup>WR</sup>

### ALL-ROUNDER FOR HILL CLIMBERS

#### FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Maximum speed
- Distance
- Total distance (Bike 1/Bike 2)
- Ride time
- Total ride time (Bike 1/Bike 2)
- Clock (12/24h)
- Current temperature
- Current altitude
- Current gradient
- Trip altitude uphill
- Maximum trip altitude
- Total altitude uphill (Bike 1/Bike 2)
- Full text display with seven available languages
- Predefined tire sizes
- Can be used for two bikes
- Automatic start/stop
- Data retention when batteries are replaced (settings and total values)
- Battery status indicator (computer head)
- Workout statistics for 12 months
- Backlight
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB



## BC 5.0<sup>WR</sup>

### Item no. 05210

#### BC 5.0 WR contents:

Bike computer (incl. battery), bracket for cable models, magnet, mounting material, operating instruction



## BC 8.0<sup>WR</sup>

### Item no. 08210

#### BC 8.0 WR contents:

Bike computer (incl. battery), bracket for cable models, magnet, mounting material, operating instructions



## BC 10.0<sup>WR</sup>

### Item no. 10210

#### BC 10.0 WR contents:

Bike computer (incl. battery), bracket for cable models, magnet, mounting material, operating instructions



## BC 12.0<sup>WR</sup>

### Item no. 12210

#### BC 12.0 WR contents:

Bike computer (incl. battery), bracket for cable models, magnet, mounting material, operating instructions



## BC 14.0<sup>WR</sup>

### Item no. 14210

#### BC 14.0 WR contents:

Bike computer (incl. battery), bracket for cable models, magnet, mounting material, operating instructions

## ACCESSORIES

|                                                                                                                                    |                                                                                                                                   |                                                                                                                               |                                                                                                                                       |                                                                                                                                 |                                                                                                                           |                                                                                                                                   |
|------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| <b>00532</b><br>CABLE BRACKET 2032 (150 CM)<br> | <b>00530</b><br>CABLE BRACKET 2032 (90 CM)<br> | <b>00536</b><br>CABLE KIT 2032 (90 CM)<br> | <b>00537</b><br>MAGNET<br>                       | <b>00342</b><br>LITHIUM BATTERY CR2032<br> | <b>00301</b><br>SERVICE KIT 2032<br> | <b>00473</b><br>LONG BUTLER TL2450 WR/WL<br> |
| <b>00533</b><br>CABLE BRACKET 2450 (150 CM)<br> | <b>00531</b><br>CABLE BRACKET 2450 (90 CM)<br> | <b>00544</b><br>CABLE KIT 2450 (90 CM)<br> | <b>00502</b><br>OVER CLAMP BUTLER 2450 WL/WR<br> | <b>20316</b><br>LITHIUM BATTERY CR2450<br> | <b>00302</b><br>SERVICE KIT 2450<br> |                                                                                                                                   |



## BC 5.0<sup>WL</sup>

### BEGINNER WITH FLAIR

#### FEATURES:

- Current Speed
- Distance
- Total Distance
- Ride Time
- Clock (12/24h)
- Displays functions using icons
- Predefined tire sizes
- Ride Time up to 100 h
- Adjustable scan mode
- Automatic start/stop
- Watertight in accordance with IPX8
- UFSB-compatible



## BC 8.0<sup>WL</sup>

### ADVANCED BEGINNERS

#### FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Distance
- Total distance
- Ride time
- Total ride time
- Clock (12/24h)
- Full text display with seven available languages
- Predefined tire sizes
- Automatic start/stop
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB



## BC 10.0<sup>WL</sup>

### ACHIEVE YOUR BEST TIME

#### FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Maximum speed
- Distance
- Total distance
- Ride time
- Total ride time
- Clock (12/24h)
- Current temperature
- Full text display with seven available languages
- Predefined tire sizes
- Automatic start/stop
- Data retention when batteries are replaced (settings and total values)
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB



## BC 12.0<sup>WL</sup> WL CAD

### SPORTY STATISTICIANS

#### FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Maximum speed
- Distance
- Total distance (Bike 1/Bike 2)
- Ride time
- Total ride time (Bike 1/Bike 2)
- Clock (12/24h)
- Current temperature
- Full text display with seven available languages
- Predefined tire sizes
- Can be used for two bikes
- Automatic start/stop
- Data retention when batteries are replaced (settings and total values)
- Battery status indicator (computer head + transmitter)
- Workout statistics for 12 months
- Automatic bike recognition
- Automatic pairing
- Backlight
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB



## BC 14.0<sup>WL</sup> WL CAD

### ALL-ROUNDER FOR HILL CLIMBERS

#### FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Maximum speed
- Distance
- Total distance (Bike 1/Bike 2)
- Ride time
- Total ride time (Bike 1/Bike 2)
- Clock (12/24h)
- Current temperature
- Current altitude
- Current gradient
- Trip altitude uphill
- Maximum trip altitude
- Total altitude uphill (Bike 1/Bike 2)
- Current cadence\*
- Full text display with seven available languages
- Predefined tire sizes
- Can be used for two bikes
- Automatic start/stop
- Data retention when batteries are replaced (settings and total values)
- Battery status indicator (computer head + transmitter)
- Workout statistics for 12 months
- Automatic bike recognition
- Automatic pairing
- Backlight
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB

\* BC 12.0 WL CAD, optional BC 12.0 WL

\* BC 14.0 WL CAD, optional BC 14.0 WL



## BC 5.0<sup>WL</sup>

### Item no. 05211

#### BC 5.0 WL contents:

Bike computer (incl. battery), bracket for wireless models, ATS speed transmitter (incl. battery), magnet, mounting material, operating instructions



## BC 8.0<sup>WL</sup>

### Item no. 08211

#### BC 8.0 WL contents:

Bike computer (incl. battery), bracket for wireless models, ATS speed transmitter (incl. battery), magnet, mounting material, operating instructions



## BC 10.0<sup>WL</sup>

### Item no. 10211

#### BC 10.0 WL contents:

Bike computer (incl. battery), bracket for wireless models, ATS speed transmitter (incl. battery), magnet, mounting material, operating instructions



## BC 12.0<sup>WL</sup> WL CAD

### Item no. 12211

#### BC 12.0 WL contents:

Bike computer (incl. battery), bracket for wireless models, STS speed transmitter (incl. battery), magnet, mounting material, operating instructions

### Item no. 12212

#### BC 12.0 WL CAD contents:

Contents BC 12.0 WL + STS cadence transmitter + cadence magnet



## BC 14.0<sup>WL</sup> WL CAD

### Item no. 14211

#### BC 14.0 WL contents:

Bike computer (incl. battery), bracket for wireless models, STS speed transmitter (incl. battery), magnet, mounting material, operating instructions

### Item no. 14212

#### BC 14.0 WL CAD contents:

Contents BC 14.0 WL + STS cadence transmitter + cadence magnet

## ACCESSORIES

|                                                                                                                                 |                                                                                                                                     |                                                                                                                                |                                                                                                                               |                                                                                                                                     |                                                                                                                         |                                                                                                                           |                                                                                                                                 |
|---------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| <b>00473</b><br>LONG BUTLER TL2450 WR/WL<br> | <b>00502</b><br>OVER CLAMP BUTLER 2450 WL/WR<br> | <b>00540</b><br>ATS SPEED TRANSMITTER<br>   | <b>00543</b><br>ATS BIKE 2 KIT 2032<br>   | <b>00534</b><br>ATS HANDLEBAR BRACKET 2032<br> | <b>00538</b><br>POWER MAGNET<br>   | <b>00301</b><br>SERVICE KIT 2032<br> | <b>00342</b><br>LITHIUM BATTERY CR2032<br> |
| <b>00545</b><br>STS BIKE 2 KIT 2450<br>      | <b>00546</b><br>STS CADENCE TRANSMITTER KIT<br>  | <b>00542</b><br>STS CADENCE TRANSMITTER<br> | <b>00541</b><br>STS SPEED TRANSMITTER<br> | <b>00535</b><br>STS HANDLEBAR BRACKET 2450<br> | <b>00539</b><br>CADENCE MAGNET<br> | <b>00302</b><br>SERVICE KIT 2450<br> | <b>20316</b><br>LITHIUM BATTERY CR2450<br> |



## ROX 2.0 ENDURANCE

SMART GPS BIKE COMPUTER  
WITH EXTRA-LONG BATTERY LIFE

### HIGHLIGHTS:

- Up to 26 hours of battery life
- Track navigation with Re-Routing
- 14 functions
- E-bike ready
- Ready to go any time\*
- Customizable large display
- Track navigation
- SIGMA RIDE App


\*no sensor mounting necessary

## ROX 4.0 ENDURANCE

SMART GPS BIKE COMPUTER  
WITH EXTRA-LONG BATTERY LIFE

### HIGHLIGHTS:

- Up to 41 hours of battery life
- Track navigation with Re-Routing
- 30 functions
- E-bike ready
- Barometric altitude measurement
- Compatible with external sensors
- komoot navigation
- SIGMA RIDE App



## SIGMA RIDE APP

TRACK YOUR ACTIVITIES AND  
NAVIGATE TO YOUR DESIRED DESTINATION

## ROX 12.1 EVO


GPS BIKE COMPUTER WITH MAP NAVIGATION

### HIGHLIGHTS:

- 150+ functions
- Map navigation
- E-bike ready
- 3" transfective color display
- Personal training views
- Barometric altitude measurement
- SIGMA RIDE App



## INNOVATIVE MAP NAVIGATION




### BIKE-OPTIMIZED MAPS

### ONE TOUR, MANY OPTIONS

### LOAD TRACKS EASILY **EVO!**

### PLAN RIDES **EVO!**



### INDIVIDUAL ROUTING

### TURN-BY-TURN NAVIGATION

### DRAW MY ROUTE

### SMART RE-ROUTING

# FURTHER HIGHLIGHTS ROX 12.1 EVO

## INNOVATIVE MAP NAVIGATION

- SIGMA bike-optimized OSM maps **EVO!**
- Pre-installed maps\*
- Maps for free global download
- Various routing options
- Turn-by-turn navigation
- Smart re-routing

\* Countries vary by market


## PROFESSIONAL TRAINING SYSTEM

- 20 sport profiles for installation **EVO!**
- Six customizable training views
- Strava Live Segments
- Workouts
- Drinking and eating alarms
- Advanced sensor connection **EVO!**  
(FE-C, radar, Shimano Di2, eShift, ROTOR Power, etc.)

## E-BIKE-READY **EVO!**

- Battery level
- Support level
- Range
- Gear-change recommendation
- and much more\*

\* The parameters shown on the display vary according to the e-system connected.



## SMART CONNECTIVITY

- SIGMA RIDE app **EVO!**
- Smart notifications **EVO!**
- Crash alert **EVO!**
- Expanded third-party-provider Integration **EVO!**



## INTUITIVE INTERFACE

- Modern, streamlined user interface **EVO!**
- Shortcut and favorites menu
- Touch display and additional large buttons for easy operation with gloves
- Home button returns the user to the main menu

## POWERFUL HARDWARE

- GNSS reception **EVO!**
- Quick route calculation
- Fast map image build-up
- Quick updates and map downloads via WiFi
- Compact and light **EVO!**
- Transflective 3" colour display
- Dustproof and water-resistant (IP67)



## ROX 2.0 ENDURANCE

### Item no. 01054

#### ROX 2.0 ENDURANCE BLACK contents:

Bike computer, OVER CLAMP BUTLER GPS, attachment material, USB-C cable, quick-start instructions

### Item no. 01055

#### ROX 2.0 ENDURANCE WHITE contents:

Bike computer, OVER CLAMP BUTLER GPS, attachment material, USB-C cable, quick-start instructions



## ROX 4.0 ENDURANCE

### Item no. 01066

#### ROX 4.0 ENDURANCE BLACK contents:

Bike computer, OVER CLAMP BUTLER GPS, attachment material, USB-C cable, quick-start instructions

### Item no. 01067

#### ROX 4.0 ENDURANCE WHITE contents:

Bike computer, OVER CLAMP BUTLER GPS, attachment material, USB-C cable, quick-start instructions



## ROX 12.1 EVO

### Item no. 01040

#### ROX 12.1 EVO BASIC NIGHT GRAY contents:

Bike computer, LONG BUTLER GPS, GPS mount, attachment material, USB-C cable, loop, quick-start instructions

### Item no. 01041

#### ROX 12.1 EVO BASIC WHITE contents:

Bike computer, LONG BUTLER GPS, GPS mount, attachment material, USB-C cable, loop, quick-start instructions

### ACCESSORIES

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 00463<br>GPS MOUNT                                                                  | 00475<br>SHORT BUTLER GPS                                                           | 00472<br>LONG BUTLER GPS**                                                          | 00500<br>OVER CLAMP BUTLER GPS**                                                    | 00477<br>AERO BUTLER GPS<br>WITH ACTION CAM ADAPTER                                   | 20335<br>DUO MAGNETLESS<br>SPEED*                                                     | 20336<br>DUO MAGNETLESS<br>CADENCE*                                                   | 18460<br>USB-C CABLE                                                                  | 20501<br>USB CHARGER                                                                  |
|  |  |  |  |  |  |  |  |  |

\*Not compatible with ROX 2.0 ENDURANCE

\*\*Mount recommendation for ROX 4.0 ENDURANCE / ROX 12.1 EVO



## EOX® VIEW 700

YOUR INTUITIVE E-BIKE PARTNER

### HIGHLIGHTS:

- E-bike functions\*:  
(assist mode, range, speed, e-bike charge status, light status)
- Connection to smartphone possible
- Clock
- Backlight
- (Optional) remote operation via EOX® Remote 500 or the

\* The availability of the functions depends on the connected e-system.



## EOX® VIEW 1300

YOUR SMART E-BIKE COMPANION

### HIGHLIGHTS:

- E-bike functions\*  
(assist mode, range, speed, battery charge level, pedalling power, power comparison (pedalling power and motor power), cadence, light status (high/low beam) low beam), gear indicator and shift recommendation)
- Heart rate (via BLE chest strap) and training indicator
- Calorie consumption
- Segmented FSTN display
- Navigation with komoot turn-by-turn directions
- E-system and smartphone connection, Time and date
- Backlight
- (Optional) remote operation via EOX® Remote 500
- Customisation via the EOX® app

\* The availability of the functions depends connected E-System.



**SIGMA EOX APP**  
ALL ADVENTURES IN ONE VIEW



## EOX® VIEW 700

**Item no. 47250**

**EOX® VIEW 700 contents:**

Bike Computer, Over Clamp Butler EOX®,  
Quick start guide



## EOX® VIEW 1300

**Item no. 45050**

**EOX® VIEW 1300 contents:**

Bike Computer, Over Clamp Butler EOX®,  
Quick start guide

### ACCESSORIES

00503

OVER CLAMP BUTLER EOX





## EOX<sup>®</sup> FL 100

SAFE AND SIMPLE

### HIGHLIGHTS:

- Effectiveness: 100 lux
- Beam range: 100m
- 6500 K – Color Temperature
- Light Guide for excellent side visibility
- Reflector optional
- Water resistance to IP67
- Voltage range: 6-48V, 3W

### ACCESSORIES

#### 46200

HANDLEBARMOUNT  
FOR EOX<sup>®</sup> FL 100



#### Item no. 47300

#### EOX<sup>®</sup> FL 100 contents:

Front light, Fork bracket, Extension cable + Cable connector, Front reflector, attachment material, instruction manual



## EOX<sup>®</sup> FL 150

BRIGHT AND STRONG

### HIGHLIGHTS:

- 150 Lux – Standard
- 20 Lux – Automatic day light
- 400 lumens
- Beam range: 100m
- 6500 K – Color Temperature
- High-quality aluminum housing with plastic front ring
- Optional forkmount
- Reflector optional
- Water resistance to IP67
- Voltage range: 12-16V, 12W

#### Item no. 47310

#### EOX<sup>®</sup> FL 150 contents:

Front light, Handlebar mount 35 mm, Fork mount adapter, Spacer ring 31.5 mm, Cable connector, Front reflector, attachment material, instruction manual



## EOX<sup>®</sup> FL 170 HB

YOUR ULTIMATE E-BIKE LIGHT

### HIGHLIGHTS:

- 170 Lux – High Beam
- 120 Lux – Low Beam
- 20 Lux – Automatic day light
- 850 lumens
- Beam range: 160m
- 6500 K – Color Temperature
- High-quality aluminum housing
- Wired remote control / blue illuminated symbol
- Optional forkmount
- Reflector optional
- Water resistance to IP67
- Voltage range: 12-16V, 12W

#### Item no. 47320

#### EOX<sup>®</sup> FL 170 HB contents:

Front light + Remote, Handlebar mount 35 mm, Faceplate adapter, Spacer ring 31.5 mm, Cable connector, Front reflector, attachment material, instruction manual



## **EOX® RL RACK**

**STRONG AND SAFE**

**HIGHLIGHTS:**

- 2 LED technologie
- 4,2 lumens
- 50 mm Rack mounting
- Z-Reflector inside
- Waterproof to IP 44
- Voltage range: 6-48V / 0,8W

**Item no. 47330**

**EOX® RL RACK contents:**

Rear light, attachment material,  
quick-start instructions



## **EOX® RL RACK BRAKE**

**STRONG AND SAFE BRAKELIGHT**

**HIGHLIGHTS:**

- Brakelight function
- Emergency-Brakelight
- 2 LED technologie + 32 COB LED
- 8 lumens
- 50 mm Rack mounting
- Z-Reflector inside
- Waterproof to IP 44
- Voltage range: 6-48V / 0,8W

**Item no. 47340**

**EOX® RL RACK BRAKE contents:**

Rear light, attachment material,  
quick-start instructions



## AURA MICRO SET

SMALL LIGHTS, BIG IMPACT – PERFECT FOR CHILDREN, EVERYDAY LIFE AND ADVENTURES

### FEATURES:

- **AURA MICRO**
  - Effectiveness: 30 lux, 15 lux in Low mode
  - Beam range: 40 m
  - Run time: 3 h in High mode; 6 h in Low mode
  - Charge time: 2.8 h
  - Battery indicator/ Charge indicator
  - Splash resistant in accordance with IP44
  - Tool-free mounting with flexible silicone mount
  - Integrated USB-C charge function
  - Weight: 40 g
- **HIRO MICRO**
  - 350 m visibility range
  - Run time: 4 h
  - Charge time: 2 h
  - Tool-free mounting with flexible silicone mount
  - Integrated USB-C charge function
  - Side visibility
  - Battery indicator/ Charge indicator
  - Splash resistant in accordance with IP44
  - Weight: 28 g



## AURA 30

DURABLE, COST-EFFECTIVE BATTERY-POWERED LIGHT

### FEATURES:

- Effectiveness: 30 lux (15 lux in Eco mode)
- Beam range: 40 m
- Run time: 5 h in Standard mode; 15 h in Eco mode
- Splash resistant in accordance with IPX4
- Tool-free mounting
- Incl. batteries (2x AA)
- Two-stage battery indicator
- Weight: 69 g (incl. bracket, without batteries)



## AURA 40

CITYLIGHT WITH USB-C AT A LOW PRICE

### FEATURES:

- Effectiveness: 40 lux (15 lux in Eco mode)
- Beam range: 50 m
- Run time: 9 h in High mode; 29 h in Eco mode
- Charge time: 3 h
- Switch on protection (double click for ON)
- Splash resistant in accordance with IP44
- Adjustable bracket
- Tool-free mounting
- Integrated USB-C charge function
- Three-stage battery/charge indicator
- Charging possible during operation
- Weight: 126 g (incl. bracket)
- Light Guide for excellent side visibility



## AURA 50

CLEVER BIKE LIGHT WITH BRIGHTNESS SENSOR

### FEATURES:

- Effectiveness: 50 lux (15 lux in Eco mode)
- Beam range: 60 m
- Run time: 9 h in High mode; 28 h in Eco mode
- Charge time: 3 h
- Brightness sensor
- Switch on protection (double click for ON)
- Splash resistant in accordance with IP44
- Adjustable bracket
- Tool-free mounting
- Integrated USB-C charge function
- Three-stage battery/charge indicator
- Charging possible during operation
- Weight: 113 g (incl. bracket)
- Light Guide for excellent side visibility



NEW

## AURA 70

READY FOR EVERYDAY LIFE  
AND TOURING

### FEATURES:

- Effectiveness: 70 lux (45 lux in Mid mode; 20 lux in Eco mode)
- Beam range: 80 m
- Run time:
  - ≤ 28 h in AUTO mode,
  - ≤ 6,5 h in High mode,
  - ≤ 10,5 h in Mid mode,
  - ≤ 28 h in Eco mode
- Brightness sensor
- Mode Memory function
- Switch on protection (double click for ON)
- Splash resistant in accordance with IP44
- Adjustable silicone mount with quick release
- Tool-free mounting
- Integrated USB-C charge function
- Battery indicator/charge indicator
- Four mode indicator
- Weight: 110 g (incl. bracket)
- Light Guide for excellent side visibility
- A short press of the button displays the battery status.



NEW

## AURA 90

POWERFUL THROUGH EVERYDAY LIFE  
AND ADVENTURE

### FEATURES:

- Effectiveness: 90 lux (55 lux in Mid mode; 20 lux in Eco mode)
- Beam range: 100 m
- Run time:
  - ≤ 28 h in AUTO mode,
  - ≤ 4,5 h in High mode,
  - ≤ 8,5 h in Mid mode,
  - ≤ 28 h in Eco mode
- Brightness sensor
- Mode Memory function
- Switch on protection (double click for ON)
- Splash resistant in accordance with IP44
- Adjustable silicone mount with quick release
- Tool-free mounting
- Integrated USB-C charge function
- Battery indicator/charge indicator
- Four mode indicator
- Weight: 110 g (incl. bracket)
- Light Guide for excellent side visibility
- A short press of the button displays the battery status.



NEW

## AURA 100 LINK

EASE OF USE  
WITH USB-C

### FEATURES:

- Effectiveness: 100 lux (75 lux in Mid mode; 50 lux in Low mode and 25 lux in Eco mode)
- Beam range: 110 m
- Run time:
  - 3 h in High mode;
  - 4 h in Mid mode;
  - 6 h in Low mode,
  - 12 h in Eco mode
- Charge time: 4.5 h
- 5-level battery indicator
- 4-level battery charge display
- Mode indicator for AURA 100 LINK / LINK rear light
- Brightness sensor
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- Adjustable silicone mount with quick release
- Tool-free mounting
- Integrated USB-C charge function
- Weight: 115 g (incl. bracket)
- Light Guide for excellent side visibility



NEW

## AURA 120 LINK

HIGH LIGHT OUTPUT AND  
PERFORMANCE

### FEATURES:

- Effectiveness: 120 lux (80 lux in Mid mode; 40 lux in Eco mode)
- Beam range: 130 m
- Run time:
  - ≤ 18 h in AUTO mode,
  - ≤ 4 h in High mode,
  - ≤ 7 h in Mid mode,
  - ≤ 18 h in Eco mode
- Four mode indicator
- Charge time: 3 h
- 5-level battery indicator
- 4-level battery charge display
- Brightness sensor
- Switch on protection (double click for ON)
- Splash resistant in accordance with IP44
- Adjustable silicone mount with quick release
- Tool-free mounting
- Integrated USB-C charge function
- Charging possible during operation
- Weight: 147 g (incl. bracket)
- Light Guide for excellent side visibility
- A short press of the button displays the battery status.



NEW

## AURA 170 HB LINK

FRONT LIGHT WITH  
170 LUX HIGH BEAM

### FEATURES:

- Effectiveness: 150 lux (170 lux in High Beam mode; 100 lux in Mid mode and 50 lux in Eco mode)
- High beam illuminance: 170 LUX / 700 lumens
- Beam range: 180 m
- Run time:
  - ≤ 2,5 h in High Beam mode,
  - ≤ 20 h in AUTO mode,
  - ≤ 5,5 h in High mode,
  - ≤ 9 h in Mid mode,
  - ≤ 20 h in Eco mode
- REMOTE HB for high beam
- Charge time: 3 h
- 5-level battery indicator
- 4-level battery charge display
- Brightness sensor
- Mode indicator
- Switch on protection (double click for ON)
- Splash resistant in accordance with IP44
- Adjustable silicone mount with quick release
- Tool-free mounting
- Integrated USB-C charge function
- Weight: 230 g (incl. bracket)
- Light Guide for excellent side visibility
- A short press of the button displays the battery status.





## AURA 30

**Item no. 15950**

**AURA 30 contents:**

2x AA batteries, operating instructions



**Item no. 15970**

**AURA 30 / CURVE**

**Complete set contents:**

AURA 30, CURVE, 2x AA, 2x AAA batteries



## AURA 40

**Item no. 17470**

**AURA 40 contents:**

Operating instructions



**Item no. 17476**

**AURA 40 / HIRO 10**

**RIDE SAFE TO SCHOOL**

**Complete set contents:**

AURA 40, HIRO 10, RIDE SAFE TO SCHOOL Sticker sheet



**Item no. 17475**

**AURA 40 / HIRO 10**

**Complete set contents:**

AURA 40, HIRO 10



## AURA 50

**Item no. 17480**

**AURA 50 contents:**

Operating instructions



**Item no. 17485**

**AURA 50 / HIRO 10**

**Complete set contents:**

AURA 50, HIRO 10



## AURA 70

**Item no. 17770**

**AURA 70 contents:**

Operating instructions



**Item no. 17775**

**AURA 70 / HIRO 10**

**Complete set contents:**

AURA 70, HIRO 10



**Item no. 17776**

**AURA 70 / HIRO 30**

**Complete set contents:**

AURA 70, HIRO 30



## AURA 90

**Item no. 17870**

**AURA 90 contents:**

Operating instructions



**Item no. 17875**

**AURA 90 / HIRO 30 Complete set**



**Item no. 17876**

**AURA 90 / HIRO 50 Complete set**



**Item no. 17879**

**AURA 90 / HIRO 70 Complete set**

### ACCESSORIES

|                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 00150                                                                              | 00151                                                                               | 00158                                                                               | 00155                                                                               | 00159                                                                               | 00477                                                                                | 00481                                                                                 | 00152                                                                                 | 00156                                                                                 | 00157                                                                                 | 18461                                                                                 | 18462                                                                                 | 18460                                                                                 |
| AURA 40/70/90/100<br>SILICONE BRACKET                                              | AURA 50/170 HB/100<br>SCREW-BRACKET                                                 | AURA OUT FRONT MOUNT<br>WITH ACTION CAM ADAPTER                                     | AURA 100 OUT FRONT MOUNT<br>WITH ACTION CAM ADAPTER                                 | AERO SILICONE<br>BRACKET                                                            | AERO BUTLER GPS<br>WITH ACTION CAM ADAPTER                                           | SILICONE STRAP<br>CURVE/HIRO 50                                                       | SILICONE STRAP<br>HIRO 10/30                                                          | SILICONE STRAP EXTENDED<br>CURVE/HIRO 50                                              | SILICONE STRAP<br>EXTENDED HIRO 10/30                                                 | USB-C<br>FAST CHARGING SET                                                            | USB-C FAST CHARGING<br>CABLE                                                          | USB-C CABLE                                                                           |
|  |  |  |  |  |  |  |  |  |  |  |  |  |



## AURA 100 LINK

**Item no. 17905**

**AURA 100 contents:**  
Operating instructions



**Item no. 17955**

**AURA 100 LINK / HIRO 50 LINK**  
**Complete set contents:**  
AURA 100 LINK, HIRO 50 LINK



## AURA 120 LINK

**Item no. 17970**

**AURA 120 LINK contents:**  
Operating instructions



**Item no. 17975**

**AURA 120 LINK / HIRO 50 LINK**  
**Complete set contents:**  
AURA 120 LINK, HIRO 50 LINK



**Item no. 17977**

**AURA 120 LINK / RECO 80 LINK**  
**Complete set contents:**  
AURA 120 LINK, RECO 80 LINK



## AURA 170 HB LINK

**Item no. 17990**

**AURA 170 HB LINK contents:**  
REMOTE HB, Operating instructions



**Item no. 17993**

**AURA 170 HB LINK / HIRO 50 LINK**  
**Complete set contents:**  
AURA 170 HB LINK, HIRO 50 LINK, REMOTE HB



**Item no. 17997**

**AURA 170 HB LINK / RECO 80 LINK**  
**Complete set contents:**  
AURA 170 HB LINK, RECO 80 LINK, REMOTE HB



## AURA MICRO SET

**Item no. 15062 / RIDE SAFE TO SCHOOL**

**AURA MICRO / HIRO MICRO Set contents:**  
AURA MICRO, HIRO MICRO, RIDE SAFE TO SCHOOL Sticker Sheet

**Item no. 15063**

**AURA MICRO / HIRO MICRO Set contents:**  
AURA MICRO, HIRO MICRO

### ACCESSORIES

|                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 00150                                                                              | 00151                                                                               | 00158                                                                               | 00155                                                                               | 00159                                                                               | 00477                                                                                | 00481                                                                                 | 00152                                                                                 | 00156                                                                                 | 00157                                                                                 | 18461                                                                                 | 18462                                                                                 | 18460                                                                                 |
| AURA 40/70/90/100 SILICONE BRACKET                                                 | AURA 50/170 HB/100 SCREW-BRACKET                                                    | AURA OUT FRONT MOUNT WITH ACTION CAM ADAPTER                                        | AURA 100 OUT FRONT MOUNT WITH ACTION CAM ADAPTER                                    | AERO SILICONE BRACKET                                                               | AERO BUTLER GPS WITH ACTION CAM ADAPTER                                              | SILICONE STRAP CURVE/HIRO 50                                                          | SILICONE STRAP HIRO 10/30                                                             | SILICONE STRAP EXTENDED CURVE/HIRO 50                                                 | SILICONE STRAP EXTENDED HIRO 10/30                                                    | USB-C FAST CHARGING SET                                                               | USB-C FAST CHARGING CABLE                                                             | USB-C CABLE                                                                           |
|  |  |  |  |  |  |  |  |  |  |  |  |  |



### AURA 70



### AURA 90



### AURA 100 LINK



### AURA 120 LINK



### AURA 170 HB LINK



**Item no. 17778**  
AURA 70 / NYTE 30  
**Complete set contents:**  
AURA 70, NYTE 30



**Item no. 17878**  
AURA 90 / NYTE 50  
**Complete set contents:**  
AURA 90, NYTE 50



**Item no. 17957**  
AURA 100 LINK / NYTE 50 LINK  
**Complete set contents:**  
AURA 100 LINK, NYTE 50 LINK



**Item no. 17976**  
AURA 120 LINK / NYTE 50 LINK  
**Complete set contents:**  
AURA 120 LINK, NYTE 50 LINK



**Item no. 17994**  
AURA 170 HB LINK / NYTE 50 LINK  
**Complete set contents:**  
AURA 170 HB LINK, NYTE 50 LINK, REMOTE HB



**Item no. 17880**  
AURA 90 / NYTE 70  
**Complete set contents:**  
AURA 90, NYTE 70



**Item no. 17978**  
AURA 120 LINK / RECO 81 LINK  
**Complete set contents:**  
AURA 120 LINK, RECO 81 LINK



**Item no. 17998**  
AURA 170 HB LINK / RECO 81 LINK  
**Complete set contents:**  
AURA 170 HB LINK, RECO 81 LINK, REMOTE HB

#### ACCESSORIES

|                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 00150                                                                              | 00151                                                                               | 00158                                                                               | 00155                                                                               | 00159                                                                               | 00477                                                                                | 00481                                                                                 | 00152                                                                                 | 00156                                                                                 | 00157                                                                                 | 18461                                                                                 | 18462                                                                                 | 18460                                                                                 |
| AURA 40/70/90/100<br>SILICONE BRACKET                                              | AURA 50/170 HB/100<br>SCREW-BRACKET                                                 | AURA OUT FRONT MOUNT<br>WITH ACTION CAM ADAPTER                                     | AURA 100 OUT FRONT MOUNT<br>WITH ACTION CAM ADAPTER                                 | AERO SILICONE<br>BRACKET                                                            | AERO BUTLER GPS<br>WITH ACTION CAM ADAPTER                                           | SILICONE STRAP<br>CURVE/HIRO 50                                                       | SILICONE STRAP<br>HIRO 10/30                                                          | SILICONE STRAP EXTENDED<br>CURVE/HIRO 50                                              | SILICONE STRAP<br>EXTENDED HIRO 10/30                                                 | USB-C<br>FAST CHARGING SET                                                            | USB-C FAST CHARGING<br>CABLE                                                          | USB-C CABLE                                                                           |
|  |  |  |  |  |  |  |  |  |  |  |  |  |



# SIGMA RIDE SAFE TO SCHOOL



## AURA MICRO SET

Item no. 15062 / RIDE SAFE TO SCHOOL

AURA MICRO / HIRO MICRO Set contents:

AURA MICRO, HIRO MICRO, RIDE SAFE TO SCHOOL Sticker Sheet



## AURA 40 + HIRO 10 SET

Item no. 17476 / RIDE SAFE TO SCHOOL

AURA 40 / HIRO 10 Complete set contents:

AURA 40, HIRO 10, RIDE SAFE TO SCHOOL Sticker Sheet



## RIDE SAFE TO SCHOOL BUNDLE

Item no. 19962

RSTS BUNDLE contents:

AURA 40, HIRO 10, BC 5.0 WR, RIDE SAFE TO SCHOOL Sticker Sheet







**AURA 170 HB LINK: Mid-Modus**



**AURA 170 HB LINK: High Beam-Modus**  
BEAM RANGE: 180 m



**AURA 120 LINK**  
BEAM RANGE: 130 m



**AURA 100 LINK**  
BEAM RANGE: 110 m





## CURVE

STRONG BATTERY-POWERED REAR LIGHT  
WITH DESIGN FACTOR

### FEATURES:

- 400 m visibility range
- Run time: 29 h
- Tool-free mounting with flexible silicone mount
- Incl. batteries (2x AAA)
- Side visibility
- Two-stage battery/charge indicator
- Splash resistant in accordance with IPX4
- Weight: 27 g  
(incl. bracket, without batteries)



## HIRO 10

SAFELY AND VISIBLY  
THROUGH THE CITY

### FEATURES:

- 500 m visibility range
- Run time: 13 h
- Charge time: 3 h
- Tool-free mounting with flexible silicone mount
- Integrated USB-C charge function
- Side visibility
- Three-stage battery indicator
- Splash resistant in accordance with IP44
- Weight: 31 g

## NYTE 10



### FEATURES LIKE HIRO 10 +:

- Run time: 13 h (standard),  
33 h (flashing),



## HIRO 30 NEW

STYLISH BATTERY-POWERED REAR LIGHT  
FOR ALL SITUATIONS

### FEATURES:

- 500 m visibility range
- Run time: 20 h
- Charge time: 3 h
- Tool-free mounting with flexible silicone mount
- Integrated USB-C charge function
- Wide beam angle (240°)
- Three-stage battery indicator
- Splash resistant in accordance with IP44
- Weight: 29 g

## NYTE 30 NEW



### FEATURES LIKE HIRO 30 +:

- 600 m visibility range
- Run time: 4,5 h (high), 20 h (eco),  
24 h (day flashing), 8,5 h (night flashing),  
28 h (Eco flashing)
- Output: 10,5 lumens High mode, 2,5 lumens Eco mode,  
10,5 lumens Day Flash mode, 10,5 lumens Night Flash mode,  
5,5 lumens Eco Flash mode



## HIRO 50 NEW

LED REAR LIGHT WITH  
BRAKE LIGHT FUNCTION

### FEATURES:

- 3 LED Brake light and emergency brake light
- 500 m visibility range
- Run time: 11 h
- Mode Memory function
- Charge time: 3 h
- Tool-free mounting with flexible silicone mount
- Integrated USB-C charge function
- Improved side visibility
- Three-stage battery / charge indicator
- Splash resistant in accordance with IP44
- Weight: 29 g

## NYTE 50 NEW



### FEATURES LIKE HIRO 50 +:

- 1000 m visibility range
- Run time: 4 h (high), 11 h (eco), 7 h (day flashing), 10 h (night flashing), 23 h (eco flashing)
- Output: 9 lumens High mode, 3 lumens Eco mode, 42 lumens Day Flash mode, 8 lumens Night Flash mode, 5 lumens Eco Flash mode



## HIRO 50 LINK NEW

CONNECTED LIGHT – LED REAR LIGHT  
WITH BRAKE LIGHT FUNCTION

### FEATURES:

- 3 LED Brake light and emergency brake light
- 500 m visibility range
- Run time: 11 h
- LINK function
- Mode Memory function
- Charge time: 3 h
- Tool-free mounting with flexible silicone mount
- Integrated USB-C charge function
- Improved side visibility
- Three-stage battery / charge indicator
- Splash resistant in accordance with IP44
- Weight: 29 g

## NYTE 50 LINK NEW



### FEATURES LIKE HIRO 50 LINK +:

- 1000 m visibility range
- Run time: 4 h (high), 11 h (eco), 7 h (day flashing), 10 h (night flashing), 23 h (eco flashing)
- Output: 9 lumens High mode, 3 lumens Eco mode, 42 lumens Day Flash mode, 8 lumens Night Flash mode, 5 lumens Eco Flash mode



## HIRO 70

COB-LED-REAR LIGHT WITH  
BRAKE LIGHT FUNCTION

### FEATURES:

- 2 LED Brake light and emergency brake light
- Auto-Sensor
- 500 m visibility range
- Run time: 6,5 h
- Charge time: 3 h
- Flexible mounting – vertical or horizontal
- Integrated USB-C charge function
- Three-stage battery / charge indicator
- Splash resistant in accordance with IP44
- Weight: 31 g

## NYTE 70



### FEATURES LIKE HIRO 70 +:

- Run time: 6,5 h (high), 12 h (low), 6 h (day flashing), 8 h (night flashing), 20 h (Eco flashing)
- Output: 8.5 lumens High Mode, 5 lumens Low mode, 76 lumens Day Flash mode, 8 lumens Night Flash mode, 4 lumens Eco Flash mode



## CURVE

**Item no. 15960**

**CURVE contents:**

2x AAA batteries, silicone mount, operating instructions



## HIRO 10/NYTE 10

**Item no. 15060**

**HIRO 10 contents:**

Silicone mount, operating instructions

**Item no. 15061**

**NYTE 10 contents:**

Silicone mount, operating instructions



## HIRO 30/NYTE 30

**Item no. 15210**

**HIRO 30 contents:**

Silicone mount, operating instructions

**Item no. 15215**

**NYTE 30 contents:**

Silicone mount, operating instructions

## ACCESSORIES

00152

SILICONE STRAP  
HIRO 10/30



00481

SILICONE STRAP  
CURVE/HIRO 50



00156

SILICONE STRAP EXTENDED CURVE/HIRO 50  
FOR AERO SEATPOST



00157

SILICONE STRAP EXTENDED HIRO 10/30  
FOR AERO SEATPOST



18460

USB-C CABLE



20501

USB CHARGER





## HIRO 50/NYTE 50

### Item no. 15120

#### HIRO 50 contents:

Silicone mount, operating instructions

### Item no. 15121

#### NYTE 50 contents:

Silicone mount, operating instructions



## HIRO 50 LINK/NYTE 50 LINK

### Item no. 15125

#### HIRO 50 LINK contents:

Silicone mount, operating instructions

### Item no. 15126

#### NYTE 50 LINK contents:

Silicone mount, operating instructions



## HIRO 70/NYTE 70

### Item no. 15070

#### HIRO 70 contents:

Silicone bracket with Quick-Release, operating instructions

### Item no. 15071

#### NYTE 70 contents:

Silicone bracket with Quick-Release, Saddle bracket, operating instructions

## ZUBEHÖR

00152

SILICONE STRAP  
HIRO 10/30



00481

SILICONE STRAP  
CURVE/HIRO 50



00156

SILICONE STRAP EXTENDED CURVE/  
HIRO 50 FOR AERO SEATPOST



00157

SILICONE STRAP EXTENDED  
HIRO 10/30 FOR AERO SEATPOST



00482

SILICONE BRACKET FOR  
HIRO 70/NYTE 70



00483

SADDLE BRACKET FOR  
HIRO 70/NYTE 70



18460

USB-C CABLE



20501

USB CHARGER





## BUSTER RL 80

BRIGHT LED REAR LIGHT  
WITH FLASH FUNCTION

### FEATURES:

- 1500 m visibility range
- Five modes: High (25 lm), Low (5 lm), Day flashing (80 lm), Night flashing (15 lm), Eco flashing (5 lm)
- Run time: 2 h in High mode, 7 h in Low mode, 4.5 h in Day flashing mode, 6.5 h in Night flashing mode, 12 h in Eco flashing mode
- Mode memory function
- Short button press shows the battery status
- Charge time: 2 h
- Tool-free mounting with flexible silicone mount
- Integrated USB-C charge function
- 240 degree wide angle optics
- Three-stage battery indicator
- Splash resistant in accordance with IPX4
- Weight: 29 g (incl. bracket)



## BUSTER RL 150

FLASHING REAR LIGHT  
WITH BRAKE LIGHT

### FEATURES:

- 2000 m visibility range
- 2 LED brake light function
- Five modes: High (40 lm), Low (5 lm), Day flashing (150 lm), Night flashing (25 lm), Eco flashing (5 lm)
- Run time: 4 h in High mode, 20 h in Low mode, 6 h in Day flashing mode, ≤ 7 h in Night flashing mode, 20 h in Eco flashing mode
- Mode memory function
- Short button press shows the battery status
- Charge time: 3 h
- Tool-free mounting with flexible silicone mount
- Integrated USB-C charge function
- 280 degree wide angle optics
- Three-stage battery indicator
- Splash resistant in accordance with IPX4
- Weight: 38 g (incl. bracket)



NEW

## NYTE CLIP

COB-LED REAR LIGHT  
WITH FLASH FUNCTION

### FEATURES:

- 500 m visibility range
- 36 COB LEDs
- 6 light modes: 60 lumens in High mode, 22 lumens in Eco mode, 76 lumens in Fast Flash mode, 85 lumens in Slow Flash mode, 95 lumens in Disco Flash mode, 102 lumens in Pulse Flash mode
- Run time: 2.5 h in High mode, 10 h in Eco mode, 4.5 h in Fast Flash mode, 4 h in Slow Flash mode, 4.5 h in Disco Flash mode, 2.5 h in Pulse Flash mode
- Three-stage battery / charge indicator
- Integrated USB-C charge function
- Splash resistant in accordance with IP44





## BUSTER RL 80

**Item no. 15500**

**BUSTER RL 80 contents:**  
USB-C cable, silicone mount,  
operating instructions



## BUSTER RL 150

**Item no. 15600**

**BUSTER RL 150 contents:**  
USB-C cable, silicone mount,  
operating instructions



## NYTE CLIP

**Item no. 15064**

**NYTE CLIP contents:**  
Seatpost bracket, Saddle bracket,  
operating instructions

### ACCESSORIES

00152

SILICONE MOUNT BUSTER RL80 / RL 150



00157

BUSTER RL EXTENDED SILICONE MOUNT  
FOR AERO SEATPOST



18460

USB-C CABLE



20501

USB CHARGER



00562

NYTE CLIP BRACKET PACK





## RECO 80 LINK

CONNECTED LIGHTS – WITH RADAR AND REAR BRAKELIGHT

### FEATURES:


- 500 m visibility range
- 2 LED brake light function
- 1 Light mode: High
- Run time: 15 h in High-mode
- Short button press shows the battery status
- Charge time: 3 h
- Tool-free mounting with flexible silicone mount
- Integrated USB-C charge function
- 220 degree wide angle optics
- Three-stage battery indicator
- Splash resistant in accordance with IP67
- Weight: 100 g (incl. bracket)

## RECO 81 LINK

CONNECTED LIGHTS – WITH RADAR, REAR BRAKELIGHT AND FLASH FUNCTION

### FEATURES:

- 500 m visibility range
- 2 LED brake light function
- 6 Light modes: High, Peloton, Day flashing, Night flashing, Eco flashing, Radar only
- Run time: 15 h in High-mode, 26 h in Peloton-mode, 21 h in Day Flashing-mode, 23 h in Night Flashing-mode, 27 h in Eco Flashing-mode, 30 h in Radar only-mode
- Memory-mode
- Short button press shows the battery status
- Charge time: 3 h
- Tool-free mounting with flexible silicone mount
- Integrated USB-C charge function
- 220 degree wide angle optics
- Three-stage battery indicator
- Splash resistant in accordance with IP67
- Weight: 100 g (incl. bracket)





## RECO 80 LINK

**Item no. 15300**

**RECO 80 LINK contents:**

Twist Lock Bracket, Rubberpads for different seatposts, silicone strap C, operating instructions



## RECO 81 LINK

**Item no. 15301**

**RECO 81 LINK contents:**

Twist Lock Bracket, Rubberpads for different seatposts, silicone strap C, operating instructions

### ACCESSORIES

00560

TWIST-LOCK MOUNT



Twist Lock Mount



Rubberpads for different seatposts



Silicone strap C



## BUSTER 160 NEW

COMPACT. FLEXIBLE. POWERFUL IN USE.

### FEATURES:

- Maximum light output: 160 lumens
- Beam range: 75 m\*
- Five light modes: High ( $\leq 160$  lm), Mid ( $\leq 90$  lm), Low ( $\leq 50$  lm), Night flashing ( $\leq 90/115$  lm), Day flashing ( $\leq 65$  lm)
- Runtime:  $\leq 3$  h in High mode,  $\leq 8$  h in Mid mode,  $\leq 16.5$  h in Low mode,  $\leq 5.3$  h in Night flashing mode,  $\leq 24$  h in Day flashing mode
- Charge time: 3 h
- Tool-free mounting
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA Light Guide for excellent lateral visibility
- Five preset mode profiles + memory mode
- Short press of button displays battery status
- USB-C charging function
- Charging possible when in use
- Weight: 76 g (including mounting bracket)

\* Base ANSI Nema FL1



## BUSTER 900 LINK NEW

POWERFUL ILLUMINATION. SMARTLY CONNECTED.

### FEATURES:

- Maximum light output: 900 lumens
- Beam distance: 180 m\*
- Five light modes: High ( $\leq 900$  lm), Mid ( $\leq 550$  lm), Low ( $\leq 180$  lm), Night flashing ( $\leq 240/470$  lm), Day flashing ( $\leq 440$  lm)
- Runtime:  $\leq 2.4$  h in High mode,  $\leq 3.7$  h in Mid mode,  $\leq 14.3$  h in Low mode,  $\leq 5.4$  h in Night flash mode,  $\leq 36$  h in Day flash mode
- Charge time: 3.5 h
- Battery charge indicator: 6-stage battery indicator FL, 4-stage battery indicator RL (SIGMA LINK RL), 4-stage charge indicator FL
- Switch on protection (double click for ON)
- Splashproof according to IPX4
- SIGMA Light Guide for excellent Side visibility
- Five preset mode profiles
- Memory mode
- Short press displays battery status
- Tool-free mounting
- USB-C charging function
- Charging possible while in use
- RIDE APP compatible
- Weight: 150 g (including mount)

\* Base ANSI Nema FL1



## BUSTER 1700 LINK NEW

MAXIMUM POWER. FULL CONTROL.

### FEATURES:

- REMOTE ONE: for controlling the front light and horn
- Maximum light output: 1750 lumens
- Beam range: 210 m\*
- Five light modes: High ( $\leq 1750$  lm), Mid ( $\leq 960$  lm), Low ( $\leq 530$  lm), Night flashing ( $\leq 410/850$  lm), Day flashing ( $\leq 255$  lm)
- Runtime:  $\leq 2.9$  h in High mode,  $\leq 4.4$  h in Mid mode,  $\leq 9.1$  h in Low mode,  $\leq 20.5$  h in Eco mode,  $\leq 6.2$  h in Night flash mode,  $\leq 74$  h in Day flash mode
- Charging time: 3.5 h
- Battery charge indicator: 6-stage battery indicator FL, 4-stage battery indicator RL (SIGMA LINK RL), 4-stage charge indicator FL
- Power-on protection (double-click to turn on)
- Splash-proof according to IPX4
- SIGMA Light Guide for excellent side visibility
- Five preset mode profiles
- Memory mode
- Short press displays battery status
- Tool-free mounting
- USB-C charging function
- Charging possible while in use
- RIDE APP compatible
- Horn Feature with 3 different sounds (select via RIDE APP)
- Weight: 220 g (including mount)

\* Base ANSI Nema FL1



## BUSTER 160

**Item no. 20160**

**BUSTER 160 contents:**

BUSTER 160, silicone mount, operating instructions



**Item no. 20161**

**BUSTER 160 / NYTE 10**

**Complete set contents:**

BUSTER 160, NYTE 10



**Item no. 20162**

**BUSTER 160 / BUSTER RL 80**

**Complete set contents:**

BUSTER 160, BUSTER RL 80



## BUSTER 900 LINK

**Item no. 20900**

**BUSTER 900 LINK contents:**

BUSTER 900 LINK, Screw Bracket, operating instructions



**Item no. 20901**

**BUSTER 900 / NYTE 50 LINK**

**Complete set contents:**

BUSTER 900 LINK, NYTE 50 LINK



**Item no. 20902**

**BUSTER 900 LINK / BUSTER RL 150**

**Complete set contents:**

BUSTER 900 LINK, BUSTER RL 150



## BUSTER 1700 LINK

**Art.-Nr. 21700**

**BUSTER 1700 LINK contents:**

BUSTER 1700 LINK, REMOTE ONE, Screw Bracket, Action Cam Adapter, operating instructions



**Art.-Nr. 21701**

**BUSTER 1700 / NYTE 50 LINK**

**Complete set contents:**

BUSTER 1700 LINK, NYTE 50 LINK



**Art.-Nr. 21703**

**BUSTER 1700 / RECO 81 LINK**

**Complete set contents:**

BUSTER 1700 LINK, RECO 81 LINK

### ACCESSORIES

00153

BUSTER HELMET BRACKET



00150

SILICONE BRACKET



00151

SCREW-BRACKET



00154

ACTION CAM FRONT LIGHT ADAPTER



00477

AERO BUTLER GPS MIT ACTION CAM ADAPTER



00159

AERO SILICONE BRACKET



20501

USB CHARGER



18460

USB-C CABLE



18461

CHARGER FAST CHARGER + USB-C CABLE FAST CHARGER



18462

USB-C CABLE FAST CHARGER



00551

REMOTE ONE



**BUSTER 160**

BEAM RANGE: 75 m

**BUSTER 900 LINK**

BEAM RANGE: 180 m

**BUSTER 1700 LINK**

BEAM RANGE: 210 m





## BUSTER 150

SMALL, LIGHT, AND WITH PLENTY OF POWER

### FEATURES:

- Maximum light output: 150 lumens
- Beam range: 74 m\*
- Five light modes: High (150 lm), Mid (75 lm), Low (35 lm), Night flashing (100/40 lm), Day flashing (40 lm)
- Run time: 3 h in High mode, 7.5 h in Mid mode, 14.5 h in Low mode, 5 h in Night flashing mode, 25 h in Day flashing mode
- Charge time: 2.5 h
- Tool-free mounting
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA light guide for outstanding visibility
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Integrated USB-C charge function
- Weight: 76 g (incl. bracket)

\* Basis ANSI Nema FL1



## BUSTER 400

AN ALL-ROUNDER FOR EVERY OCCASION

### FEATURES:

- Maximum light output: 400 lumens
- Beam range: 120 m\*
- Five light modes: High (400 lm), Mid (200 lm), Low (100 lm), Night flashing (300/100 lm), Day flashing (100 lm)
- Run time: 2 h in High mode, 4 h in Mid mode, 9 h in Low mode, 5 h in Night flashing mode, 30 h in Day flashing mode
- Charge time: 3 h
- Tool-free mounting
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA light guide for outstanding visibility
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Integrated USB-C charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 107 g (incl. bracket)

\* Basis ANSI Nema FL1



## BUSTER 800

YOUR LIGHT IN THE DARK

### FEATURES:

- Maximum light output: 800 lumens
- Beam range: 170 m\*
- Five light modes: High (800 lm), Mid (400 lm), Low (150 lm), Night flashing (600/200 lm), Day flashing (200 lm)
- Run time: 2 h in High mode, 3 h in Mid mode, 9 h in Low mode, 5 h in Night flashing mode, 30 h in Day flashing mode
- Charge time: 4 h
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA light guide for outstanding visibility
- Five pre-set mode profiles
- Mode memory function
- Short button press shows the battery status
- Tool-free mounting
- Integrated USB-C charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 150 g (incl. bracket)
- CREE LED

\* Basis ANSI Nema FL1



## BUSTER 1100

ULTIMATE POWER FOR MORE SAFETY

### FEATURES:

- Maximum light output: 1100 lumens
- Beam range: 165 m\*
- Six light modes: High (1100 lm), Mid (800 lm), Low (400 lm), Eco (150 lm), Night flashing (800/400 lm), Day flashing (200 lm)
- Run time: 2 h in High mode, 2.5 h in Mid mode, 5 h in Low mode, 16 h in Eco mode, 5 h in Night flashing mode, 50 h in Day flashing mode
- Charge time: 3 h
- Switch on protection (double click for ON)
- SIGMA light guide for outstanding visibility
- Splash resistant in accordance with IPX4
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Tool-free mounting
- Integrated USB-C quick charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 215 g (incl. bracket)

\* Basis ANSI Nema FL1



## BUSTER 1600

FOR BRIGHTER MOMENTS

### FEATURES:

- Maximum light output: 1600 lumens
- Beam range: 205 m\*
- Six light modes: High (1600 lm), Mid (1000 lm), Low (500 lm), Eco (150 lm), Night flashing (800/400 lm), Day flashing (200 lm)
- Run time: 1.75 h in High mode, 2.8 h in Mid mode, 6.8 h in Low mode, 18 h in Eco mode, 5 h in Night flashing mode, 50 h in Day flashing mode
- Charge time: 3 h
- Switch on protection (double click for ON)
- SIGMA light guide for outstanding visibility
- Splash resistant in accordance with IPX4
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Tool-free mounting
- Integrated USB-C quick charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 215 g (incl. bracket)

\* Basis ANSI Nema FL1



## BUSTER 150

### Item no. 19150

**BUSTER 150 contents:**  
BUSTER 150, USB-C cable, silicone mount, operating instructions



### Item no. 19170

**BUSTER 150 / NYTE 10**  
**Complete set contents:**  
BUSTER 150, NYTE 10, USB-C cable



## BUSTER 400

### Item no. 19600

**BUSTER 400 contents:**  
BUSTER 400, USB-C cable, silicone mount, operating instructions



### Item no. 19630

**BUSTER 400 / BUSTER RL 80**  
**Complete set contents:**  
BUSTER 400, BUSTER RL 80, USB-C cable, Micro-USB cable



## BUSTER 800

### Item no. 19800

**BUSTER 800 contents:**  
BUSTER 800, USB-C cable, screw-bracket mount, operating instructions



### Item no. 19830

**BUSTER 800 / BUSTER RL 80**  
**Complete set contents:**  
BUSTER 800, BUSTER RL 80, USB-C cable



### Item no. 19820

**BUSTER 800 / BUSTER RL 150**  
**Complete set contents:**  
BUSTER 800, BUSTER RL 150, USB-C cable



## BUSTER 1100

### Item no. 19850

**BUSTER 1100 contents:**  
BUSTER 1100, USB-C cable, Quick charger, screw-bracket mount, operating instructions



### Item no. 19870

**BUSTER 1100 / BUSTER RL 150**  
**Complete set contents:**  
BUSTER 1100, BUSTER RL 150, USB-C cable, Quick charger



## BUSTER 1600

### Item no. 19730

**BUSTER 1600 contents:**  
BUSTER 1600, USB-C-cable quick charger, 3D rubber pad, screw-bracket mount, action camera adapter, long screw, operating instructions

## ACCESSORIES

**00153**  
BUSTER HELMET BRACKET



**00150**  
SILICONE BRACKET



**00151**  
SCREW-BRACKET



**00154**  
ACTION CAM ADAPTER



**00477**  
AERO BUTLER GPS  
WITH ACTION CAM ADAPTER



**20501**  
USB CHARGER



**18460**  
USB-C CABLE



**18461**  
CHARGER FAST CHARGER +  
USB-C CABLE FAST CHARGER



**18462**  
USB-C CABLE FAST CHARGER



**BUSTER 1600**

BEAM RANGE: 205 m

**BUSTER 1100**

BEAM RANGE: 165 m

**BUSTER 800**

BEAM RANGE: 170 m

**BUSTER 400**

BEAM RANGE: 120 m

**BUSTER 150**

BEAM RANGE: 74 m



## BUSTER 160 HL NEW

LIGHTWEIGHT ON THE HELMET. POWERFUL IN ACTION.

### FEATURES:

- Maximum light output: 160 lumens
- Beam range: 75 m\*
- Five light modes: High ( $\leq 160$  lm), Mid ( $\leq 90$  lm), Low ( $\leq 50$  lm), Night flashing ( $\leq 90/115$  lm), Day flashing ( $\leq 65$  lm)
- Runtime:  $\leq 3$  h in High mode,  $\leq 8$  h in Mid mode,  $\leq 16.5$  h in Low mode,  $\leq 5.3$  h in Night flashing mode,  $\leq 24$  h in Day flashing mode
- Charge time: 3 h
- Tool-free mounting
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA Light Guide for excellent lateral visibility
- Five preset mode profiles + memory mode
- Short press of button displays battery status
- USB-C charging function
- Charging possible when in use
- Weight: 76 g (including mounting bracket)

\* Base ANSI Nema FL1

## BUSTER 900 LINK HL NEW

HELMET LIGHT. SMARTLY CONNECTED.

### FEATURES:

- Maximum light output: 900 lumens
- Beam distance: 180 m\*
- Five light modes: High ( $\leq 900$  lm), Mid ( $\leq 550$  lm), Low ( $\leq 180$  lm), Night flashing ( $\leq 240/470$  lm), Day flashing ( $\leq 440$  lm)
- Runtime:  $\leq 2.4$  h in High mode,  $\leq 3.7$  h in Mid mode,  $\leq 14.3$  h in Low mode,  $\leq 5.4$  h in Night flash mode,  $\leq 36$  h in Day flash mode
- Charge time: 3.5 h
- Battery charge indicator: 6-stage battery indicator FL, 4-stage battery indicator RL (SIGMA LINK RL) 4-stage charge indicator FL
- Switch on protection (double click for ON)
- Splashproof according to IPX4
- SIGMA Light Guide for excellent Side visibility
- Five preset mode profiles
- Memory mode
- Short press displays battery status
- Tool-free mounting
- USB-C charging function
- Charging possible while in use
- RIDE APP compatible
- Weight: 150 g (including mount)

\* Base ANSI Nema FL1

## BUSTER 1700 LINK HL NEW

MAXIMUM POWER. FULL CONTROL.

### FEATURES:

- REMOTE ONE: for controlling the helmet light and horn
- Maximum light output: 1750 lumens
- Beam range: 210 m\*
- Five light modes: High ( $\leq 1750$  lm), Mid ( $\leq 960$  lm), Low ( $\leq 530$  lm), Night flashing ( $\leq 410/850$  lm), Day flashing ( $\leq 255$  lm)
- Runtime:  $\leq 2.9$  h in High mode,  $\leq 4.4$  h in Mid mode,  $\leq 9.1$  h in Low mode,  $\leq 20.5$  h in Eco mode,  $\leq 6.2$  h in Night flash mode,  $\leq 74$  h in Day flash mode
- Charging time: 3.5 h
- Battery charge indicator: 6-stage battery indicator FL, 4-stage battery indicator RL (SIGMA LINK RL) 4-stage charge indicator FL
- Power-on protection (double-click to turn on)
- Splash-proof according to IPX4
- SIGMA Light Guide for excellent side visibility
- Five preset mode profiles
- Memory mode
- Short press displays battery status
- Tool-free mounting
- USB-C charging function
- Charging possible while in use
- RIDE APP compatible
- Horn Feature with 3 different sounds (select via RIDE APP)
- Weight: 220 g (including mount)

\* Base ANSI Nema FL1



## BUSTER 160 HL

**Item no. 20160**

**BUSTER 160 HL contents:**

BUSTER 160 LINK HL, helmet bracket,  
operating instructions



## BUSTER 900 LINK HL

**Item no. 20903**

**BUSTER 900 LINK HL contents:**

BUSTER 900 LINK HL, helmet bracket,  
operating instructions



## BUSTER 1700 LINK HL

**Item no. 21704**

**BUSTER 1700 HL contents:**

BUSTER 1700 LINK HL, REMOTE ONE, helmet bracket,  
operating instructions

### ACCESSORIES

|                                                                                    |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                       |
|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| 00153                                                                              | 00150                                                                               | 00151                                                                               | 00154                                                                               | 00477                                                                                | 00159                                                                                 | 20501                                                                                 | 18460                                                                                 | 18461                                                                                 | 18462                                                                                 | 00551                                                                                 |
| BUSTER HELMET BRACKET                                                              | SILICONE BRACKET                                                                    | SCREW-BRACKET                                                                       | ACTION CAM FRONT LIGHT ADAPTER                                                      | AERO BUTLER GPS MIT ACTION CAM ADAPTER                                               | AERO SILICONE BRACKET                                                                 | USB CHARGER                                                                           | USB-C KABEL                                                                           | CHARGER FAST CHARGER + USB-C CABLE FAST CHARGER                                       | USB-C CABLE FAST CHARGER                                                              | REMOTE ONE                                                                            |
|  |  |  |  |  |  |  |  |  |  |  |

**BUSTER 160**

BEAM RANGE: 75 m

**BUSTER 900 LINK**

BEAM RANGE: 180 m

**BUSTER 1700 LINK**

BEAM RANGE: 210 m





## BUSTER 150 HL

SMALL, LIGHT, AND WITH  
PLENTY OF POWER

### FEATURES:

- Maximum light output: 150 lumens
- Beam range: 74 m\*
- Five light modes: High (150 lm), Mid (75 lm), Low (35 lm), Night flashing (100/40 lm), Day flashing (40 lm)
- Run time: 3 h in High mode, 7.5 h in Mid mode, 14.5 h in Low mode, 5 h in Night flashing mode, 25 h in Day flashing mode
- Charge time: 2.5 h
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA light guide for outstanding visibility
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Integrated USB-C charge function
- Weight: 76 g (incl. bracket)

\* Basis ANSI Nema FL1

## BUSTER 400 HL

ALLROUND, ALL-PURPOSE  
HELMET LIGHT

### FEATURES:

- Maximum light output: 400 lumens
- Beam range: 120 m\*
- Five light modes: High (400 lm), Mid (200 lm), Low (100 lm), Night flashing (300/100 lm), Day flashing (100 lm)
- Run time: 2 h in High mode, 4 h in Mid mode, 9 h in Low mode, 5 h in Night flashing mode, 30 h in Day flashing mode
- Charge time: 3 h
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA light guide for outstanding visibility
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Integrated USB-C charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 107 g (incl. bracket)

\* Basis ANSI Nema FL1

## BUSTER 800 HL

YOUR LIGHT  
IN THE DARK

### FEATURES:

- Maximum light output: 800 lumens
- Beam range: 170 m\*
- Five light modes: High (800 lm), Mid (400 lm), Low (150 lm), Night flashing (600/200 lm), Day flashing (200 lm)
- Run time: 2 h in High mode, 3 h in Mid mode, 9 h in Low mode, 5 h in Night flashing mode, 30 h in Day flashing mode
- Charge time: 4 h
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA light guide for outstanding visibility
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Integrated USB-C charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 150 g (incl. bracket)
- CREE LED

\* Basis ANSI Nema FL1

## BUSTER 1100 HL

ULTIMATE POWER  
FOR MORE SAFETY

### FEATURES:

- Maximum light output: 1100 lumens
- Beam range: 165 m\*
- Six light modes: High (1100 lm), Mid (800 lm), Low (400 lm), Eco (150 lm), Night flashing (800/400 lm), Day flashing (200 lm)
- Run time: 2 h in High mode, 2.5 h in Mid mode, 5 h in Low mode, 16 h in Eco mode, 5 h in Night flashing mode, 50 h in Day flashing mode
- Charge time: 3 h
- Switch on protection (double click for ON)
- SIGMA light guide for outstanding visibility
- Splash resistant in accordance with IPX4
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Integrated USB-C quick charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 215 g (incl. bracket)

\* Basis ANSI Nema FL1

## BUSTER 1600 HL

FOR BRIGHTER  
MOMENTS

### FEATURES:

- Maximum light output: 1600 lumens
- Beam range: 205 m\*
- Six light modes: High (1600 lm), Mid (1000 lm), Low (500 lm), Eco (150 lm), Night flashing (800/400 lm), Day flashing (200 lm)
- Run time: 1.75 h in High mode, 2.8 h in Mid mode, 6.8 h in Low mode, 18 h in Eco mode, 5 h in Night flashing mode, 50 h in Day flashing mode
- Charge time: 3 h
- Switch on protection (double click for ON)
- SIGMA light guide for outstanding visibility
- Splash resistant in accordance with IPX4
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Tool-free mounting
- Integrated USB-C quick charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 215 g (incl. bracket)

\* Basis ANSI Nema FL1



## BUSTER 150 HL

**Item no. 19160**

**BUSTER 150 HL contents:**

BUSTER 150 HL, USB-C cable, helmet bracket, operating instructions



## BUSTER 400 HL

**Item no. 19610**

**BUSTER 400 HL contents:**

BUSTER 400 HL, USB-C cable, helmet bracket, operating instructions



## BUSTER 800 HL

**Item no. 19810**

**BUSTER 800 HL contents:**

BUSTER 800 HL, USB-C cable, helmet bracket, operating instructions



## BUSTER 1100 HL

**Item no. 19860**

**BUSTER 1100 HL contents:**

BUSTER 1100 HL, USB-C cable, quick charger, helmet bracket, operating instructions



## BUSTER 1600 HL

**Item no. 19860**

**BUSTER 1100 HL contents:**

BUSTER 1600 HL, USB-C cable quick charger, helmet bracket, operating instructions

### ACCESSORIES

00153

BUSTER HELMET BRACKET



20501

USB CHARGER



18460

USB-C CABLE



18461

CHARGER FAST CHARGER + USB-C CABLE FAST CHARGER



18462

USB-C CABLE FAST CHARGER



**BUSTER 1600 HL**

BEAM RANGE: 205 m

**BUSTER 1100 HL**

BEAM RANGE: 165 m

**BUSTER 800 HL**

BEAM RANGE: 170 m

**BUSTER 400 HL**

BEAM RANGE: 120 m

**BUSTER 150 HL**

BEAM RANGE: 74 m

NEW

## NYTE CLIP CL

COB-LED SAFETY LIGHT

### FEATURES:

- 500 m visibility range
- 36 COB LEDs
- 6 light modes: 60 lumens in High mode, 22 lumens in Eco mode, 76 lumens in Fast Flash mode, 85 lumens in Slow Flash mode, 95 lumens in Disco Flash mode, 102 lumens in Pulse Flash mode
- Run time: 2,5 h in High mode, 10 h in Eco mode, 4,5 h in Fast Flash mode, 4 h in Slow Flash mode, 4,5 h in Disco Flash mode, 2,5 h in Pulse Flash mode
- Three-stage battery / charge indicator
- Integrated USB-C charge function



### Item no. 15065

#### NYTE CLIP CL contents:

NYTE CLIP CL, operating instructions

### Item no. 15067

#### NYTE CLIP CL

#### RIDE SAFE TO SCHOOL contents:

NYTE CLIP CL, operating instructions

### Item no. 15066

#### NYTE CLIP CL Tray contents:

10 x NYTE CLIP CL






### Item no. 15068

#### NYTE CLIP CL Tray

#### RIDE SAFE TO SCHOOL contents:

10 x NYTE CLIP CL





## SIGMA REMOTE ONE

SAFE AND SMART CONTROL

### FEATURES:

- 1-channel SIGMA BLE
- Remote Control
- 1 year battery life
- Compatible with:
  - SIGMA RIDE APP
  - EOX® VIEW 700
  - ROX 4.0 / ROX 4.0 ENDURANCE
  - ROX 11.1 EVO / ROX 12.1 EVO (from 03.2025)



**Item no. 00551**

### REMOTE ONE contents:

REMOTE ONE, attachment material,  
quick-start instructions



# TOW-UP TOWING SYSTEM

NEW

## TOW-UP TOWING SYSTEM

### FEATURES:

- Rope length 220 cm
- 120 kg maximum pull weight
- Highly visible rope
- Flexible mounting options:  
STEM mounting,  
SEATPOST mounting,  
SADDLE mounting
- Weight: 140 g (without accessories)



### Item no. 65001

#### TOW-UP contents:

TOW-UP, Fastening materials, operating instructions

### Item no. 65002

#### TOW-UP

#### RIDE SAFE TO SCHOOL contents:

TOW-UP, Fastening materials, operating instructions

### Item no. 65003

#### TOW-UP Tray contents:

8 x TOW-UP



### Item no. 65004

#### TOW-UP Tray

#### RIDE SAFE TO SCHOOL contents:

8 x TOW-UP





## POCKET TOOL MEDIUM

17 TOOLS, MANY POSSIBILITIES

### FEATURES:

- Phillips screwdriver
- Slot screwdriver
- Spanner T25
- 2.5 / 3 / 4 / 5 / 8 mm Allen key
- Chain rivet
- Spoke wrench for 4 nipple sizes
- 2 Tyre levers
- Bottle opener
- Dimension: 96 x 48 x 11 mm
- Weight: 125 g

### Item no. 63001

#### POCKET TOOL MEDIUM contents:

POCKET TOOL MEDIUM with Phillips screwdriver, Slot screwdriver  
Spanner T25, 2.5 / 3 / 4 / 5 / 8 mm Allen key,  
Chain rivet, Spoke wrench for 4 nipple sizes, 2 Tyre levers, Bottle opener



## POCKET TOOL LARGE

22 TOOLS FOR MECHANICS

### FEATURES:

- Phillips screwdriver
- Slot screwdriver
- Spanner T20 / T25
- 2.5 / 3 / 4 / 5 / 6 / 8 mm Allen key
- 8 mm hex key
- Chain rivet
- Chain holder
- Valve key
- Spoke wrench for 4 nipple sizes
- 2 Tyre levers
- Brake pad tool
- Knife
- Bottle opener
- Dimension: 86 x 47 x 21 mm
- Weight: 184 g

### Item no. 63002

#### POCKET TOOL LARGE contents:

POCKET TOOL LARGE with Phillips screwdriver, Slot screwdriver  
Spanner T20 / T25, 2.5 / 3 / 4 / 5 / 6 / 8 mm Allen key,  
8 mm hex key, Chain rivet, Chain holder, Valve key,  
Spoke wrench for 4 nipple sizes, 2 Tyre levers, Brake pad tool, Knife,  
Bottle opener

**SIGMA-ELEKTRO GmbH**  
Dr.-Julius-Leber-Straße 15  
67433 Neustadt/Wstr.  
Germany  
service@sigma.bike  
sigma.bike

