



SIGMA®

BIKE COMPUTERS | LIGHTING SYSTEMS





Discover our product world!

On the following pages we will introduce you to our clever bicycle accessories. If you would like to find out more about the individual products, use the product website link or scan the QR code and click through our detailed website. Get to know SIGMAS' product diversity in product videos and find out more about how it can be used in our tutorials. In the FAQ area you will find quick answers to frequently asked questions. Have fun!



PRODUCT WEBSITE:
ROX 4.0 ENDURANCE



Videos



Tutorials



Manuals



FAQs



BC 5.0^{WR}

BEGINNER WITH FLAIR

FEATURES:

- Current Speed
- Distance
- Total Distance
- Ride Time
- Clock (12/24h)
- Displays functions using icons
- Predefined tire sizes
- Ride Time up to 100 h
- Adjustable scan mode
- Automatic start/stop
- Watertight in accordance with IPX8
- UFSB-compatible

BC 8.0^{WR}

ADVANCED BEGINNERS

FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Distance
- Total distance
- Ride time
- Total ride time
- Clock (12/24h)
- Full text display with seven available languages
- Predefined tire sizes
- Automatic start/stop
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB

BC 10.0^{WR}

ACHIEVE YOUR BEST TIME

FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Maximum speed
- Distance
- Total distance
- Ride time
- Total ride time
- Clock (12/24h)
- Current temperature
- Full text display with seven available languages
- Predefined tire sizes
- Automatic start/stop
- Data retention when batteries are replaced (settings and total values)
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB

BC 12.0^{WR}

SPORTY STATISTICIANS

FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Maximum speed
- Distance
- Total distance (Bike 1/Bike 2)
- Ride time
- Total ride time (Bike 1/Bike 2)
- Clock (12/24h)
- Current temperature
- Current cadence*
- Full text display with seven available languages
- Predefined tire sizes
- Can be used for two bikes
- Automatic start/stop
- Data retention when batteries are replaced (settings and total values)
- Battery status indicator (computer head)
- Workout statistics for 12 months
- Backlight
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB

BC 14.0^{WR}

ALL-ROUNDER FOR HILL CLIMBERS

FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Maximum speed
- Distance
- Total distance (Bike 1/Bike 2)
- Ride time
- Total ride time (Bike 1/Bike 2)
- Clock (12/24h)
- Current temperature
- ALTITUDE
- Current altitude
- Current gradient
- Trip altitude uphill
- Maximum trip altitude
- Total altitude uphill (Bike 1/Bike 2)
- Full text display with seven available languages
- Predefined tire sizes
- Can be used for two bikes
- Automatic start/stop
- Data retention when batteries are replaced (settings and total values)
- Battery status indicator (computer head)
- Workout statistics for 12 months
- Backlight
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB



PRODUCT WEBSITE:
BC 5.0 WR



PRODUCT WEBSITE:
BC 8.0 WR



PRODUCT WEBSITE:
BC 10.0 WR



PRODUCT WEBSITE:
BC 12.0 WR



PRODUCT WEBSITE:
BC 14.0 WR



BC 5.0^{WR}

Item no. 05210

BC 5.0 WR contents:

Bike computer (incl. battery), bracket for cable models, magnet, mounting material, operating instruction



BC 8.0^{WR}

Item no. 08210

BC 8.0 WR contents:

Bike computer (incl. battery), bracket for cable models, magnet, mounting material, operating instructions



BC 10.0^{WR}

Item no. 10210

BC 10.0 WR contents:

Bike computer (incl. battery), bracket for cable models, magnet, mounting material, operating instructions



BC 12.0^{WR}

Item no. 12210

BC 12.0 WR contents:

Bike computer (incl. battery), bracket for cable models, magnet, mounting material, operating instructions
















BC 14.0^{WR}

Item no. 14210

BC 14.0 WR contents:

Bike computer (incl. battery), bracket for cable models, magnet, mounting material, operating instructions

ACCESSORIES

00532 CABLE BRACKET 2032 (150 CM) 	00530 CABLE BRACKET 2032 (90 CM) 	00536 CABLE KIT 2032 (90 CM) 	00537 MAGNET 	00342 LITHIUM BATTERY CR2032 	00301 SERVICE KIT 2032 	00473 LONG BUTLER TL2450 WR/WL 
00533 CABLE BRACKET 2450 (150 CM) 	00531 CABLE BRACKET 2450 (90 CM) 	00544 CABLE KIT 2450 (90 CM) 	00502 OVER CLAMP BUTLER 2450 WL/WR 	20316 LITHIUM BATTERY CR2450 	00302 SERVICE KIT 2450 	



BC 5.0^{WL} BEGINNER WITH FLAIR

FEATURES:

- Current Speed
- Distance
- Total Distance
- Ride Time
- Clock (12/24h)
- Displays functions using icons
- Predefined tire sizes
- Ride Time up to 100 h
- Adjustable scan mode
- Automatic start/stop
- Watertight in accordance with IPX8
- UFSB-compatible

BC 8.0^{WL} ADVANCED BEGINNERS

FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Distance
- Total distance
- Ride time
- Total ride time
- Clock (12/24h)
- Full text display with seven available languages
- Predefined tire sizes
- Automatic start/stop
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB

BC 10.0^{WL} ACHIEVE YOUR BEST TIME

FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Maximum speed
- Distance
- Total distance
- Ride time
- Total ride time
- Clock (12/24h)
- Current temperature
- Full text display with seven available languages
- Predefined tire sizes
- Automatic start/stop
- Data retention when batteries are replaced (settings and total values)
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB

BC 12.0^{WL} WL CAD SPORTY STATISTICIANS

FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Maximum speed
- Distance
- Total distance (Bike 1/Bike 2)
- Ride time
- Total ride time (Bike 1/Bike 2)
- Clock (12/24h)
- Current temperature
- Full text display with seven available languages
- Predefined tire sizes
- Can be used for two bikes
- Automatic start/stop
- Data retention when batteries are replaced (settings and total values)
- Battery status indicator (computer head + transmitter)
- Workout statistics for 12 months
- Automatic bike recognition
- Automatic pairing
- Backlight
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB

BC 14.0^{WL} WL CAD ALL-ROUNDER FOR HILL CLIMBERS

FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Maximum speed
- Distance
- Total distance (Bike 1/Bike 2)
- Ride time
- Total ride time (Bike 1/Bike 2)
- Clock (12/24h)
- Current temperature
- Full text display with seven available languages
- Predefined tire sizes
- Can be used for two bikes
- Automatic start/stop
- Data retention when batteries are replaced (settings and total values)
- Battery status indicator (computer head + transmitter)
- Workout statistics for 12 months
- Automatic bike recognition
- Automatic pairing
- Backlight
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB

* BC 12.0 WL CAD, optional BC 12.0 WL

* BC 14.0 WL CAD, optional BC 14.0 WL



PRODUCT WEBSITE:
BC 5.0 WL



PRODUCT WEBSITE:
BC 8.0 WL



PRODUCT WEBSITE:
BC 10.0 WL



PRODUCT WEBSITE:
BC 12.0 WL



PRODUCT WEBSITE:
BC 14.0 WL



BC 5.0^{WL}

Item no. 05211

BC 5.0 WL contents:

Bike computer (incl. battery), bracket for wireless models, ATS speed transmitter (incl. battery), magnet, mounting material, operating instructions



BC 8.0^{WL}

Item no. 08211

BC 8.0 WL contents:

Bike computer (incl. battery), bracket for wireless models, ATS speed transmitter (incl. battery), magnet, mounting material, operating instructions



BC 10.0^{WL}

Item no. 10211

BC 10.0 WL contents:

Bike computer (incl. battery), bracket for wireless models, ATS speed transmitter (incl. battery), magnet, mounting material, operating instructions



BC 12.0^{WL} WL CAD

Item no. 12211

BC 12.0 WL contents:

Bike computer (incl. battery), bracket for wireless models, STS speed transmitter (incl. battery), magnet, mounting material, operating instructions

Item no. 12212

BC 12.0 WL CAD contents:

Contents BC 12.0 WL + STS cadence transmitter + cadence magnet



BC 14.0^{WL} WL CAD

Item no. 14211

BC 14.0 WL contents:

Bike computer (incl. battery), bracket for wireless models, STS speed transmitter (incl. battery), magnet, mounting material, operating instructions

Item no. 14212

BC 14.0 WL CAD contents:

Contents BC 14.0 WL + STS cadence transmitter + cadence magnet

ACCESSORIES

00473 LONG BUTLER TL2450 WR/WL 	00502 OVER CLAMP BUTLER 2450 WL/WR 	00540 ATS SPEED TRANSMITTER 	00543 ATS BIKE 2 KIT 2032 	00534 ATS HANDLEBAR BRACKET 2032 	00538 POWER MAGNET 	00301 SERVICE KIT 2032 	00342 LITHIUM BATTERY CR2032 
00545 STS BIKE 2 KIT 2450 	00546 STS CADENCE TRANSMITTER KIT 	00542 STS CADENCE TRANSMITTER 	00541 STS SPEED TRANSMITTER 	00535 STS HANDLEBAR BRACKET 2450 	00539 CADENCE MAGNET 	00302 SERVICE KIT 2450 	20316 LITHIUM BATTERY CR2450 



ROX 2.0 ENDURANCE

SMART GPS BIKE COMPUTER
WITH EXTRA-LONG BATTERY LIFE

HIGHLIGHTS:

- Up to 26 hours of battery life
- Track navigation with Re-Routing
- 14 functions
- E-bike ready
- Ready to go any time*
- Customizable large display
- Track navigation
- SIGMA RIDE App

*no sensor mounting necessary



PRODUCT WEBSITE:
ROX 2.0 ENDURANCE



ROX 4.0 ENDURANCE

SMART GPS BIKE COMPUTER
WITH EXTRA-LONG BATTERY LIFE

HIGHLIGHTS:

- Up to 41 hours of battery life
- Track navigation with Re-Routing
- 30 functions
- E-bike ready
- Barometric altitude measurement
- Compatible with external sensors
- komoot navigation
- SIGMA RIDE App



PRODUCT WEBSITE:
ROX 4.0 ENDURANCE



ROX 11.1 EVO

GPS TRAINING COMPUTER
BROAD RANGE OF FUNCTIONS

HIGHLIGHTS:

- 150+ functions
- E-bike ready
- High-contrast color display
- Personalizable training views
- Track and komoot navigation
- SIGMA RIDE App



PRODUCT WEBSITE:
ROX 11.1 EVO



SIGMA RIDE APP

TRACK YOUR ACTIVITIES AND
NAVIGATE TO YOUR DESIRED DESTINATION



ROX 12.1 EVO

GPS BIKE COMPUTER WITH MAP NAVIGATION





PRODUCT WEBSITE:
ROX 12.1 EVO

HIGHLIGHTS:

- 150+ functions
- Map navigation
- E-bike ready
- 3" transfective color display
- Personal training views
- Barometric altitude measurement
- SIGMA RIDE App



INNOVATIVE MAP NAVIGATION




BIKE-OPTIMIZED MAPS

ONE TOUR, MANY OPTIONS

LOAD TRACKS EASILY EVO!

PLAN RIDES EVO!



INDIVIDUAL ROUTING

TURN-BY-TURN NAVIGATION

DRAW MY ROUTE

SMART RE-ROUTING

FURTHER HIGHLIGHTS ROX 12.1 EVO

INNOVATIVE MAP NAVIGATION

- SIGMA bike-optimized OSM maps **EVO!**
- Pre-installed maps*
- Maps for free global download
- Various routing options
- Turn-by-turn navigation
- Smart re-routing

* Countries vary by market


PROFESSIONAL TRAINING SYSTEM

- 20 sport profiles for installation **EVO!**
- Six customizable training views
- Strava Live Segments
- Workouts
- Drinking and eating alarms
- Advanced sensor connection **EVO!**
(FE-C, radar, Shimano Di2, eShift, ROTOR Power, etc.)

E-BIKE-READY **EVO!**

- Battery level
- Support level
- Range
- Gear-change recommendation
- and much more*

* The parameters shown on the display vary according to the e-system connected.



SMART CONNECTIVITY

- SIGMA RIDE app **EVO!**
- Smart notifications **EVO!**
- Crash alert **EVO!**
- Expanded third-party-provider Integration **EVO!**



INTUITIVE INTERFACE

- Modern, streamlined user interface **EVO!**
- Shortcut and favorites menu
- Touch display and additional large buttons for easy operation with gloves
- Home button returns the user to the main menu

POWERFUL HARDWARE

- GNSS reception **EVO!**
- Quick route calculation
- Fast map image build-up
- Quick updates and map downloads via WiFi
- Compact and light **EVO!**
- Transflective 3" colour display
- Dustproof and water-resistant (IP67)



ROX 2.0 ENDURANCE

Item no. 01054

ROX 2.0 ENDURANCE BLACK contents:

Bike computer, OVER CLAMP BUTLER GPS, attachment material, USB-C cable, quick-start instructions

Item no. 01055

ROX 2.0 ENDURANCE WHITE contents:

Bike computer, OVER CLAMP BUTLER GPS, attachment material, USB-C cable, quick-start instructions



ROX 4.0 ENDURANCE

Item no. 01066

ROX 4.0 ENDURANCE BLACK contents:

Bike computer, OVER CLAMP BUTLER GPS, attachment material, USB-C cable, quick-start instructions

Item no. 01068

ROX 4.0 ENDURANCE HR SET BLACK contents:

Contents 01066 + R1 DUO transmitter + chest strap

Item no. 01070

ROX 4.0 ENDURANCE SENSOR SET BLACK contents:

Contents 01068 + DUO MAGNETLESS SPEED, DUO MAGNETLESS CADENCE

Item no. 01067

ROX 4.0 ENDURANCE WHITE contents:

Bike computer, OVER CLAMP BUTLER GPS, attachment material, USB-C cable, quick-start instructions

Item no. 01069

ROX 4.0 ENDURANCE HR SET WHITE contents:

Contents 01067 + R1 DUO transmitter + chest strap

Item no. 01071

ROX 4.0 ENDURANCE SENSOR SET WHITE contents:

Contents 01069 + DUO MAGNETLESS SPEED, DUO MAGNETLESS CADENCE



ROX 11.1 EVO

Item no. 01030

ROX 11.1 EVO BLACK contents:

Bike computer, GPS mount, attachment material, USB-C cable, quick-start instructions

Item no. 01032

ROX 11.1 EVO HR SET BLACK contents:

Contents 01030 + R1 DUO transmitter + chest strap, SHORT BUTLER GPS

Item no. 01034

ROX 11.1 EVO SENSOR SET BLACK contents:

Contents 01032 + DUO MAGNETLESS SPEED, DUO MAGNETLESS CADENCE

Item no. 01031

ROX 11.1 EVO WHITE contents:

Bike computer, GPS mount, attachment material, USB-C cable, quick-start instructions

Item no. 01033

ROX 11.1 EVO HR SET WHITE contents:

Contents 01031 + R1 DUO transmitter + chest strap, SHORT BUTLER GPS

Item no. 01035

ROX 11.1 EVO SENSOR SET WHITE contents:

Contents 01033 + DUO MAGNETLESS SPEED, DUO MAGNETLESS CADENCE



ROX 12.1 EVO

Item no. 01040

ROX 12.1 EVO BASIC NIGHT GRAY contents:

Bike computer, LONG BUTLER GPS, GPS mount, attachment material, USB-C cable, loop, quick-start instructions

Item no. 01042

ROX 12.1 EVO SET NIGHT GRAY contents:

Bike computer, LONG BUTLER GPS, GPS mount, R1 DUO transmitter + chest strap, DUO MAGNETLESS SPEED, DUO MAGNETLESS CADENCE, attachment material, USB-C cable, loop, quick-start instructions

Item no. 01041

ROX 12.1 EVO BASIC WHITE contents:












Bike computer, LONG BUTLER GPS, GPS mount, attachment material, USB-C cable, loop, quick-start instructions

Item no. 01043

ROX 12.1 EVO SET WHITE contents:

Bike computer, LONG BUTLER GPS, GPS mount, R1 DUO transmitter + chest strap, DUO MAGNETLESS SPEED, DUO MAGNETLESS CADENCE, attachment material, USB-C cable, loop, quick-start instructions

ACCESSORIES

00463 GPS MOUNT	00475 SHORT BUTLER GPS	00472 LONG BUTLER GPS**	00500 OVER CLAMP BUTLER GPS**	20331 R1 DUO HR TRANSMITTER*	20318 COMFORTX+ CHEST STRAP*	20332 R1 DUO TRANSMITTER + CHEST STRAP*	20335 DUO MAGNETLESS SPEED	20336 DUO MAGNETLESS CADENCE	10460 USB-C CABLE	20501 USB CHARGER
										



EOX[®] VIEW 700

YOUR INTUITIVE E-BIKE PARTNER

HIGHLIGHTS:

- E-bike functions*:
(assist mode, range, speed, e-bike charge status, light status)
- Connection to smartphone possible
- Clock
- Backlight
- (Optional) remote operation via EOX[®] Remote 500 or the

* The availability of the functions depends on the connected e-system.



EOX[®] VIEW 1300

YOUR SMART E-BIKE COMPANION

HIGHLIGHTS:

- E-bike functions*
(assist mode, range, speed, battery charge level, pedalling power, power comparison (pedalling power and motor power), cadence, light status (high/low beam), gear indicator and shift recommendation)
- Heart rate (via BLE chest strap) and training indicator
- Calorie consumption
- Segmented FSTN display
- Navigation with komoot turn-by-turn directions
- E-system and smartphone connection, Time and date
- Backlight
- (Optional) remote operation via EOX[®] Remote 500
- Customisation via the EOX[®] app

* The availability of the functions depends connected E-System.





EOX® VIEW 700

Item no. 47250

EOX® VIEW 700 contents:

Bike Computer, Over Clamp Butler EOX®,
Quick start guide



EOX® VIEW 1300

Item no. 45050

EOX® VIEW 1300 contents:

Bike Computer, Over Clamp Butler EOX®,
Quick start guide

ACCESSORIES

00503

OVER CLAMP BUTLER EOX



20331

R1 DUO HR TRANSMITTER*



20318

COMFORTX+
ELASTIC STRAP*



20332

R 1 DUO TRANSMITTER +
STRAP*



20316

LITHIUM-BATTERIE
CR2450





EOX[®] FL 100

SAFE AND SIMPLE

HIGHLIGHTS:

- Effectiveness: 100 lux
- Beam range: 100m
- 6500 K - Color Temperature
- Light Guide for excellent side visibility
- Reflector optional
- Water resistance to IP67
- Voltage range: 6-48V, 3W

ACCESSORIES

46200

HANDLEBARMOUNT
FOR EOX[®] FL 100



Item no. 47300

EOX[®] FL 100 contents:

Front light, Fork bracket, Extension cable + Cable connector, Front reflector, attachment material, instruction manual



EOX[®] FL 150

BRIGHT AND STRONG

HIGHLIGHTS:

- 150 Lux - Standard
- 20 Lux - Automatic day light
- 400 lumens
- Beam range: 100m
- 6500 K - Color Temperature
- High-quality aluminum housing with plastic front ring
- Optional forkmount
- Reflector optional
- Water resistance to IP67
- Voltage range: 12-16V, 12W

Item no. 47310

EOX[®] FL 150 contents:

Front light, Handlebar mount 35 mm, Fork mount adapter, Spacer ring 31.5 mm, Cable connector, Front reflector, attachment material, instruction manual



EOX[®] FL 170 HB

YOUR ULTIMATE E-BIKE LIGHT

HIGHLIGHTS:

- 170 Lux - High Beam
- 120 Lux - Low Beam
- 20 Lux - Automatic day light
- 850 lumens
- Beam range: 160m
- 6500 K - Color Temperature
- High-quality aluminum housing
- Wired remote control / blue illuminated symbol
- Optional forkmount
- Reflector optional
- Water resistance to IP67
- Voltage range: 12-16V, 12W

Item no. 47320

EOX[®] FL 170 HB contents:

Front light + Remote, Handlebar mount 35 mm, Faceplate adapter, Spacer ring 31.5 mm, Cable connector, Front reflector, attachment material, instruction manual



EOX® RL RACK

STRONG AND SAFE

HIGHLIGHTS:

- 2 LED technologie
- 4,2 lumens
- 50 mm Rack mounting
- Z-Reflector inside
- Waterproof to IP 44
- Voltage range: 6-48V / 0,8W

Item no. 47330

EOX® RL RACK contents:

Rear light, attachment material,
quick-start instructions



EOX® RL RACK BRAKE

STRONG AND SAFE BRAKELIGHT

HIGHLIGHTS:

- Brakelight function
- Emergency-Brakelight
- 2 LED technologie + 32 COB LED
- 8 lumens
- 50 mm Rack mounting
- Z-Reflector inside
- Waterproof to IP 44
- Voltage range: 6-48V / 0,8W

Item no. 47340

EOX® RL RACK BRAKE contents:

Rear light, attachment material,
quick-start instructions



AURA 30

DURABLE, COST-EFFECTIVE
BATTERY-POWERED LIGHT

FEATURES:

- Effectiveness: 30 lux (15 lux in Eco mode)
- Beam range: 40 m
- Run time: 5 h in Standard mode; 15 h in Eco mode
- Splash resistant in accordance with IPX4
- Tool-free mounting
- Incl. batteries (2x AA)
- Two-stage battery indicator
- Weight: 69 g (incl. bracket, without batteries)

AURA 35 USB

BATTERY-POWERED BIKE LIGHT
AT A LOW PRICE

FEATURES:

- Effectiveness: 35 lux (15 lux in Eco mode)
- Beam range: 45 m
- Run time: 5 h in Standard mode; 12 h in Eco mode
- Charge time: 2.8 h
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- 360° adjustable bracket
- Tool-free mounting
- Integrated Micro-USB charge function
- Two-stage battery/charge indicator
- Charging possible during operation
- Weight: 90 g (incl. bracket)
- Improved side visibility
- CREE LED

NEW

AURA 40

CITYLIGHT WITH USB-C
AT A LOW PRICE

FEATURES:

- Effectiveness: 40 lux (15 lux in Eco mode)
- Beam range: 50 m
- Run time: 9 h in High mode; 29 h in Eco mode
- Charge time: 3 h
- Switch on protection (double click for ON)
- Splash resistant in accordance with IP44
- 360° adjustable bracket
- Tool-free mounting
- Integrated USB-C charge function
- Three-stage battery/charge indicator
- Charging possible during operation
- Weight: 126 g (incl. bracket)
- Light Guide for excellent side visibility
- ams-OSRAM LED

AURA 45 USB

BIKE LIGHT WITH
BRIGHTNESS SENSOR

FEATURES:

- Effectiveness: 45 lux (15 lux in Eco mode)
- Beam range: 55 m
- Run time: 6.5 h in Standard mode; 21 h in Eco mode
- Charge time: 2.3 h
- Brightness sensor
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- 360° adjustable bracket
- Tool-free mounting
- Integrated Micro-USB charge function
- Two-stage battery/charge indicator
- Charging possible during operation
- Weight: 88 g (incl. bracket)
- Side visibility
- ams-OSRAM LED

NEW

AURA 50

CLEVER BIKE LIGHT WITH
BRIGHTNESS SENSOR

FEATURES:

- Effectiveness: 50 lux (15 lux in Eco mode)
- Beam range: 60 m
- Run time: 9 h in High mode; 28 h in Eco mode
- Charge time: 3 h
- Brightness sensor
- Switch on protection (double click for ON)
- Splash resistant in accordance with IP44
- 360° adjustable bracket
- Tool-free mounting
- Integrated USB-C charge function
- Three-stage battery/charge indicator
- Charging possible during operation
- Weight: 113 g (incl. bracket)
- Light Guide for excellent side visibility
- ams-OSRAM LED



PRODUCT WEBSITE:
AURA 30



PRODUCT WEBSITE:
AURA 35 USB



PRODUCT WEBSITE:
AURA 45 USB





AURA 60 USB

SPORTY BIKE FRONT LIGHT
WITH LIGHT GUIDE

FEATURES:

- Effectiveness: 60 lux (30 lux in Mid mode; 18 lux in Eco mode)
- Beam range: 70 m
- Run time: 4 h in Standard mode; 7 h in Mid mode; 10 h in Eco mode
- Charge time: 3.5 h
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- 360° adjustable bracket
- Tool-free mounting
- Integrated Micro-USB charge function
- Two-stage battery/charge indicator
- Charging possible during operation
- Weight: 105 g (incl. bracket)
- Light Guide for excellent side visibility
- ams-OSRAM LED



AURA 80 USB

CLEVER BIKE LIGHT WITH
AN ELEGANT DESIGN

FEATURES:

- Effectiveness: 80 lux (60 lux in Mid mode; 40 lux in Low mode; 20 lux in Eco mode)
- Beam range: 90 m
- Run time: 4 h in Standard mode; 5 h in Mid mode; 6.5 h in Low mode; 15 h in Eco mode
- Charge time: 4.5 h
- Five-stage battery indicator
- Four-stage charge-level indicator
- Modes display
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- 360° adjustable bracket
- Tool-free mounting
- Integrated Micro-USB charge function
- Charging possible during operation
- Weight: 119 g (incl. bracket)
- Light Guide for excellent side visibility
- ams-OSRAM LED



AURA 100 / BLAZE LINK

CONNECTED LIGHTS –
EASIER TO USE THAN EVER BEFORE

FEATURES:

- **AURA 100 LINK**
- Effectiveness: 100 lux (75 lux in Mid mode; 50 lux in Low mode and 25 lux in Eco mode)
- Beam range: 110 m
- Run time: 3 h in Standard mode; 4 h in Mid mode; 6 h in Low mode; 12 h in Eco mode
- Charge time: 4.5 h
- 5-level battery indicator
- 4-level battery charge display
- Mode indicator for AURA 100 / BLAZE LINK
- Brightness sensor
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- 360°-adjustable silicone mount with quick release
- Tool-free mounting
- Integrated Micro-USB charge function
- Charging possible during operation
- Weight: 115 g (incl. bracket)
- Light Guide for excellent side visibility
- ams-OSRAM LED
- **BLAZE LINK**
- 3 LED brake light function
- Brightness sensor
- 500 m visibility range
- Run time: 7 h
- Charge time: 3 h
- Tool-free mounting with flexible silicone mount
- Integrated micro USB charge function
- Improved side visibility
- Battery indicator
- Splash resistant in accordance with IPX4
- Weight: 22 g



NEW

AURA MICRO SET

SMALL LIGHTS, BIG IMPACT – PERFECT FOR CHILDREN,
EVERYDAY LIFE AND ADVENTURES

FEATURES:

- **AURA MICRO**
- Effectiveness: 30 lux, 15 lux in Low mode
- Beam range: 40 m
- Run time: 3 h in High mode; 6 h in Low mode
- Charge time: 2.8 h
- Battery indicator/Charge indicator
- Splash resistant in accordance with IP44
- Tool-free mounting with flexible silicone mount
- Integrated USB-C charge function
- Weight: 40 g
- **HIRO MICRO**
- 350 m visibility range
- Run time: 4 h
- Charge time: 2 h
- Tool-free mounting with flexible silicone mount
- Integrated USB-C charge function
- Side visibility
- Battery indicator/Charge indicator
- Splash resistant in accordance with IP44
- Weight: 28 g



PRODUCT WEBSITE:
[AURA 60 USB](#)



PRODUCT WEBSITE:
[AURA 80 USB](#)



PRODUCT WEBSITE:
[AURA 100 / BLAZE LINK](#)



AURA 30

Item no. 15950

AURA 30 contents:

2x AA batteries, operating instructions



Item no. 15970

AURA 30 / CURVE

Complete set contents:

AURA 30, CURVE, 2x AA, 2x AAA batteries



AURA 35 USB

Item no. 17350

AURA 35 USB contents:

Micro-USB cable, operating instructions



Item no. 17860

AURA 35 USB / NUGGET II

Complete set contents:

AURA 35 USB, NUGGET II, Micro-USB cable



AURA 40

Item no. 17470

AURA 40 contents:

Operating instructions



Item no. 17475

AURA 40 / HIRO 10

Complete set contents:

AURA 40, HIRO 10



AURA 45 USB

Item no. 17450

AURA 45 USB contents:

Micro-USB cable, operating instructions



Item no. 17460

AURA 45 USB / NUGGET II

Complete set contents:

AURA 45 USB, NUGGET II, Micro-USB cable



AURA 50

Item no. 17480

AURA 50 contents:

Operating instructions



Item no. 17485

AURA 50 / HIRO 10

Complete set contents:

AURA 50, HIRO 10

ACCESSORIES

00150	00151	00146	00155	00468	00481	00156	00304	00305	18553	20501	117900	115150
SILICONE MOUNT AURA 40/100	SCREW-BRACKET MOUNT AURA 50/100	SILICONE BRACKET AURA 35/45/60/80	AURA 100 OUT FRONT MOUNT WITH GOPRO ADAPTER	O-RING BRACKET FOR NUGGET II	SILICONE MOUNT FOR REAR LIGHTS	EXTENDED SILICONE MOUNT FOR AERO SEATPOST*	SIGMA SERVICE - KIT RL NUGGET	SIGMA SERVICE - KIT RL BLAZE/CURVE/INFINITY	MIKRO-USB CABLE	USB CHARGER	AURA 100 FL (SINGLE)	BLAZE LINK RL (SINGLE)
												

*For BLAZE / BLAZE LINK / BLAZE FLASH, CURVE, SIGMA® INFINITY



AURA 60 USB

Item no. 17700

AURA 60 USB contents:

Micro-USB cable, operating instructions



Item no. 17760

AURA 60 USB / SIGMA® INFINITY

Complete set contents:

AURA 60 USB, SIGMA® INFINITY, Micro-USB cable



Item no. 17750

AURA 60 USB / NUGGET II

Complete set contents:

AURA 60 USB, NUGGET II, Micro-USB cable



AURA 80 USB

Item no. 17800

AURA 80 USB contents:

Micro-USB cable, operating instructions



Item no. 17860

AURA 80 USB / BLAZE

Complete set contents:

AURA 80 USB, BLAZE, Micro-USB cable



Item no. 17850

AURA 80 USB / NUGGET II

Complete set contents:

AURA 80 USB, NUGGET II, Micro-USB cable



AURA 100 / BLAZE LINK

Item no. 17950

AURA 100 / BLAZE LINK Set contents:

AURA 100 LINK, BLAZE LINK, Micro-USB cable, operating instructions



Item no. 17960

AURA 100 / BLAZE LINK Set contents:

AURA 100 LINK Screw Bracket, BLAZE LINK, Micro-USB cable



AURA MICRO SET

Item no. 15062

AURA MICRO / HIRO MICRO Set contents:

AURA MICRO, HIRO MICRO, Sticker sheet

ACCESSORIES

00150	00151	00146	00155	00468	00481	00156	00304	00305	18553	20501	117900	115150
SILICONE MOUNT AURA 40/100	SCREW-BRACKET MOUNT AURA 50/100	SILICONE BRACKET AURA 35/45/60/80	AURA 100 OUT FRONT MOUNT WITH GOPRO ADAPTER	O-RING BRACKET FOR NUGGET II	SILICONE MOUNT FOR REAR LIGHTS	EXTENDED SILICONE MOUNT FOR AERO SEATPOST*	SIGMA SERVICE – KIT RL NUGGET	SIGMA SERVICE – KIT RL BLAZE/CURVE/INFINITY	MIKRO-USB CABLE	USB CHARGER	AURA 100 FL (SINGLE)	BLAZE LINK RL (SINGLE)

*For BLAZE / BLAZE LINK / BLAZE FLASH, CURVE, SIGMA® INFINITY





CURVE

STRONG BATTERY-POWERED
REAR LIGHT WITH DESIGN FACTOR

FEATURES:

- 400 m visibility range
- Run time: 29 h
- Tool-free mounting with flexible silicone mount
- Incl. batteries (2x AAA)
- Side visibility
- Two-stage battery/charge indicator
- Splash resistant in accordance with IPX4
- Weight: 27 g (incl. bracket, without batteries)

NUGGET II

BATTERY-POWERED REAR LIGHT
FOR ALL-ROUND VISIBILITY

FEATURES:

- 400 m visibility range
- Run time: 6 h
- Charge time: 2 h
- Tool-free mounting with O-ring bracket
- Integrated Micro-USB charge function
- Side visibility
- Two-stage battery/charge indicator
- Splash resistant in accordance with IPX4
- Weight: 24 g

NUGGET II FLASH

FEATURES LIKE NUGGET II +:

- Run time: 5 h (standard), 2 h (high power), 8 h, (high power flashing)



PRODUCT WEBSITE:
[NUGGET II](#)



PRODUCT WEBSITE:
[NUGGET II FLASH](#)

HIRO 10

NEW

SAFELY AND VISIBLY
THROUGH THE CITY

FEATURES:

- 500 m visibility range
- Run time: 13 h
- Charge time: 3 h
- Tool-free mounting with flexible silicone mount
- Integrated USB-C charge function
- Side visibility
- Three-stage battery indicator
- Splash resistant in accordance with IP44
- Weight: 31 g

NYTE 10

NEW

FEATURES LIKE HIRO 10 +:

- Run time: 13 h (standard), 33 h (flashing),

SIGMA® INFINITY

STYLISH BATTERY-POWERED
REAR LIGHT FOR ALL SITUATIONS

FEATURES:

- 500 m visibility range
- Run time: 16 h
- Charge time: 2.2 h
- Tool-free mounting with flexible silicone mount
- Integrated micro USB charge function
- Wide beam angle (240°)
- Two-stage battery indicator
- Splash resistant in accordance with IPX4
- Weight: 25 g



PRODUCT WEBSITE:
[SIGMA® INFINITY](#)

BLAZE

LED REAR LIGHT WITH
BRAKE LIGHT FUNCTION

FEATURES:

- 3 LED brake light function
- Day and night mode
- 500 m visibility range
- Run time: 7 h
- Charge time: 3 h
- Tool-free mounting with flexible silicone mount
- Integrated micro USB charge function
- Improved side visibility
- Battery indicator
- Splash resistant in accordance with IPX4
- Weight: 22 g

BLAZE FLASH

FEATURES LIKE BLAZE +:

- Run time: 9 h (standard), 11 h (puls flashing), 50 h (Eco flashing)



PRODUCT WEBSITE:
[BLAZE](#)



PRODUCT WEBSITE:
[BLAZE FLASH](#)



PRODUCT WEBSITE:
[CURVE](#)



CURVE

Item no. 15960

CURVE contents:
2x AAA batteries, silicone mount, operating instructions



NUGGET II/FLASH

Item no. 15050

NUGGET II contents:
Micro-USB cable, 2x O-ring bracket with 2x O-rings of different diameters, operating instructions

Item no. 15051

NUGGET II FLASH contents:
Micro-USB cable, 2x O-ring bracket with 2x O-rings of different diameters, operating instructions



HIRO 10/NYTE 10

Item no. 15060

HIRO 10 contents:
Silicone mount, operating instructions

Item no. 15061

NYTE 10 contents:
Silicone mount, operating instructions



SIGMA® INFINITY

Item no. 15200

SIGMA® INFINITY contents:
Micro-USB cable, silicone mount, operating instructions



BLAZE/FLASH

Item no. 15100

BLAZE contents:
Micro-USB cable, silicone mount, operating instructions

Item no. 15110

BLAZE FLASH contents:
Micro-USB cable, silicone mount, operating instructions

ACCESSORIES

00468

O-RING SET NUGGET II



00481

SILICONE MOUNT REAR LIGHTS



00156

EXTENDED SILICONE MOUNT
FOR AERO SEATPOST*



00304

SIGMA SERVICE – KIT RL NUGGET



00305

SIGMA SERVICE –
KIT RL BLAZE/CURVE/INFINITY



18553

MICRO-USB CABLE



18460

USB-C CABLE



20501

USB CHARGER





BUSTER 150

SMALL, LIGHT, AND WITH PLENTY OF POWER

FEATURES:

- Maximum light output: 150 lumens
- Beam range: 74 m*
- Five light modes: High (150 lm), Mid (75 lm), Low (35 lm), Night flashing (100/40 lm), Day flashing (40 lm)
- Run time: 3 h in High mode, 7.5 h in Mid mode, 14.5 h in Low mode, 5 h in Night flashing mode, 25 h in Day flashing mode
- Charge time: 2.5 h
- Tool-free mounting
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA light guide for outstanding visibility
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Integrated USB-C charge function
- Weight: 76 g (incl. bracket)
- OSRAM LED

* Basis ANSI Nema FL1



BUSTER 400

AN ALL-ROUNDER FOR EVERY OCCASION

FEATURES:

- Maximum light output: 400 lumens
- Beam range: 120 m*
- Five light modes: High (400 lm), Mid (200 lm), Low (100 lm), Night flashing (300/100 lm), Day flashing (100 lm)
- Run time: 2 h in High mode, 4 h in Mid mode, 9 h in Low mode, 5 h in Night flashing mode, 30 h in Day flashing mode
- Charge time: 3 h
- Tool-free mounting
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA light guide for outstanding visibility
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Integrated USB-C charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 107 g (incl. bracket)
- OSRAM LED

* Basis ANSI Nema FL1



BUSTER 800

YOUR LIGHT IN THE DARK

FEATURES:

- Maximum light output: 800 lumens
- Beam range: 170 m*
- Five light modes: High (800 lm), Mid (400 lm), Low (150 lm), Night flashing (600/200 lm), Day flashing (200 lm)
- Run time: 2 h in High mode, 3 h in Mid mode, 9 h in Low mode, 5 h in Night flashing mode, 30 h in Day flashing mode
- Charge time: 4 h
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA light guide for outstanding visibility
- Five pre-set mode profiles
- Mode memory function
- Short button press shows the battery status
- Tool-free mounting
- Integrated USB-C charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 150 g (incl. bracket)
- CREE LED

* Basis ANSI Nema FL1



PRODUCT WEBSITE:
BUSTER 150



PRODUCT WEBSITE:
BUSTER 400



PRODUCT WEBSITE:
BUSTER 800



BUSTER 1100

ULTIMATE POWER FOR MORE SAFETY

FEATURES:

- Maximum light output: 1100 lumens
- Beam range: 165 m*
- Six light modes: High (1100 lm), Mid (800 lm), Low (400 lm), Eco (150 lm), Night flashing (800/400 lm), Day flashing (200 lm)
- Run time: 2 h in High mode, 2.5 h in Mid mode, 5 h in Low mode, 16 h in Eco mode, 5 h in Night flashing mode, 50 h in Day flashing mode
- Charge time: 3 h
- Switch on protection (double click for ON)
- SIGMA light guide for outstanding visibility
- Splash resistant in accordance with IPX4
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Tool-free mounting
- Integrated USB-C quick charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 215 g (incl. bracket)
- OSRAM LED

* Basis ANSI Nema FL1



PRODUCT WEBSITE:
BUSTER 1100



BUSTER 1600

FOR BRIGHTER MOMENTS

FEATURES:

- Maximum light output: 1600 lumens
- Beam range: 205 m*
- Six light modes: High (1600 lm), Mid (1000 lm), Low (500 lm), Eco (150 lm), Night flashing (800/400 lm), Day flashing (200 lm)
- Run time: 1.75 h in High mode, 2.8 h in Mid mode, 6.8 h in Low mode, 18 h in Eco mode, 5 h in Night flashing mode, 50 h in Day flashing mode
- Charge time: 3 h
- Switch on protection (double click for ON)
- SIGMA light guide for outstanding visibility
- Splash resistant in accordance with IPX4
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Tool-free mounting
- Integrated USB-C quick charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 215 g (incl. bracket)
- OSRAM LED

* Basis ANSI Nema FL1



BUSTER 2000

MAKES THE NIGHT AS BRIGHT AS DAY

FEATURES:

- Maximum light output: 2000 lumens
- Beam range: 200 m
- Seven light modes: High-power mode (2000 lm), Power mode (1100 lm), Standard mode (600 lm), Eco mode (300 lm), Flashing, Pulse and SOS-flashing mode
- Run time: 2.5 h in High-power mode, 5 h in Power mode, 10 h in Standard mode, 20 h in Eco mode, 9 h in Flashing mode, 11 h in Pulsing mode, 10 h in SOS-flashing mode
- Switch on protection (double click for ON)
- Splash resistant in accordance with IP44
- Weight: 125 g
- **BATTERY PACK**
- 6400 mAh (Panasonic cells)
- Powerbank function: USB port for charging external devices
- Power monitor: 4-stage LED capacity display
- Charge time: 5 h
- Splash resistant in accordance with IP44
- Silicone straps for scratch-proof mounting on the frame
- Weight: 344 g
- **REMOTE**
- Large fluorescent buttons
- Tool-free mounting on the handlebar
- Switch on protection (double click for ON)
- Interference-free 2.4 GHz transmission
- Splash resistant in accordance with IP44
- Weight: 14 g



PRODUCT WEBSITE:
BUSTER 2000





BUSTER 150

Item no. 19150

BUSTER 150 contents:
BUSTER 150, USB-C cable, silicone mount, operating instructions



Item no. 19170

BUSTER 150 / NUGGET II FLASH
Complete set contents:
BUSTER 150, NUGGET II FLASH, USB-C cable, Micro-USB cable



Item no. 19170

BUSTER 150 / NYTE 10
Complete set contents:
BUSTER 150, NYTE 10, USB-C cable



BUSTER 400

Item no. 19600

BUSTER 400 contents:
BUSTER 400, USB-C cable, silicone mount, operating instructions



Item no. 19620

BUSTER 400 / BLAZE FLASH
Complete set contents:
BUSTER 400, BLAZE FLASH, USB-C cable, Micro-USB cable



Item no. 19630

BUSTER 400 / BUSTER RL 80
Complete set contents:
BUSTER 400, BUSTER RL 80, USB-C cable, Micro-USB cable



BUSTER 800

Item no. 19800

BUSTER 800 contents:
BUSTER 800, USB-C cable, screw-bracket mount, operating instructions



Item no. 19830

BUSTER 800 / BUSTER RL 80
Complete set contents:
BUSTER 800, BUSTER RL 80, USB-C cable



Item no. 19820

BUSTER 800 / BUSTER RL 150
Complete set contents:
BUSTER 800, BUSTER RL 150, USB-C cable



BUSTER 1100

Item no. 19850

BUSTER 1100 contents:
BUSTER 1100, USB-C cable, Quick charger, screw-bracket mount, operating instructions



Item no. 19870

BUSTER 1100 / BUSTER RL 150
Complete set contents:
BUSTER 1100, BUSTER RL 150, USB-C cable, Quick charger



BUSTER 1600

Item no. 19730

BUSTER 1600 contents:
BUSTER 1100, USB-C-cable quick charger, 3D rubber pad, screw-bracket mount, action camera adapter, long screw, operating instructions



BUSTER 2000

Item no. 17000

BUSTER 2000 contents:
BUSTER 2000, BUSTER battery pack, extension cable, charger, screw-bracket, helmet bracket, remote control

ACCESSORIES

00153 BUSTER HELMET BRACKET 	00150 SILICONE BRACKET 	00151 SCREW-BRACKET 	00154 GOPRO FRONT LIGHT ADAPTER 	20501 USB CHARGER 	18460 USB-C CABLE 	18461 CHARGER FAST CHARGER + USB-C CABLE FAST CHARGER 	18462 USB-C CABLE FAST CHARGER 	00467 BUSTER 2000 HELMET BRACKET 
--	---	--	--	--	--	--	---	---





BUSTER 150 HL

SMALL, LIGHT, AND WITH
PLENTY OF POWER

FEATURES:

- Maximum light output: 150 lumens
- Beam range: 74 m*
- Five light modes: High (150 lm), Mid (75 lm), Low (35 lm), Night flashing (100/40 lm), Day flashing (40 lm)
- Run time: 3 h in High mode, 7.5 h in Mid mode, 14.5 h in Low mode, 5 h in Night flashing mode, 25 h in Day flashing mode
- Charge time: 2.5 h
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA light guide for outstanding visibility
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Integrated USB-C charge function
- Weight: 76 g (incl. bracket)
- OSRAM LED

* Basis ANSI Nema FL1

BUSTER 400 HL

ALLROUND, ALL-PURPOSE
HELMET LIGHT

FEATURES:

- Maximum light output: 400 lumens
- Beam range: 120 m*
- Five light modes: High (400 lm), Mid (200 lm), Low (100 lm), Night flashing (300/100 lm), Day flashing (100 lm)
- Run time: 2 h in High mode, 4 h in Mid mode, 9 h in Low mode, 5 h in Night flashing mode, 30 h in Day flashing mode
- Charge time: 3 h
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA light guide for outstanding visibility
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Integrated USB-C charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 107 g (incl. bracket)
- OSRAM LED

* Basis ANSI Nema FL1

BUSTER 800 HL

YOUR LIGHT
IN THE DARK

FEATURES:

- Maximum light output: 800 lumens
- Beam range: 170 m*
- Five light modes: High (800 lm), Mid (400 lm), Low (150 lm), Night flashing (600/200 lm), Day flashing (200 lm)
- Run time: 2 h in High mode, 3 h in Mid mode, 9 h in Low mode, 5 h in Night flashing mode, 30 h in Day flashing mode
- Charge time: 4 h
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA light guide for outstanding visibility
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Integrated USB-C charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 150 g (incl. bracket)
- CREE LED

* Basis ANSI Nema FL1

BUSTER 1100 HL

ULTIMATE POWER
FOR MORE SAFETY

FEATURES:

- Maximum light output: 1100 lumens
- Beam range: 165 m*
- Six light modes: High (1100 lm), Mid (800 lm), Low (400 lm), Eco (150 lm), Night flashing (800/400 lm), Day flashing (200 lm)
- Run time: 2 h in High mode, 2.5 h in Mid mode, 5 h in Low mode, 16 h in Eco mode, 5 h in Night flashing mode, 50 h in Day flashing mode
- Charge time: 3 h
- Switch on protection (double click for ON)
- SIGMA light guide for outstanding visibility
- Splash resistant in accordance with IPX4
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Integrated USB-C quick charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 215 g (incl. bracket)
- OSRAM LED

* Basis ANSI Nema FL1

BUSTER 1600 HL

FOR BRIGHTER
MOMENTS

FEATURES:

- Maximum light output: 1600 lumens
- Beam range: 205 m*
- Six light modes: High (1600 lm), Mid (1000 lm), Low (500 lm), Eco (150 lm), Night flashing (800/400 lm), Day flashing (200 lm)
- Run time: 1.75 h in High mode, 2.8 h in Mid mode, 6.8 h in Low mode, 18 h in Eco mode, 5 h in Night flashing mode, 50 h in Day flashing mode
- Charge time: 3 h
- Switch on protection (double click for ON)
- SIGMA light guide for outstanding visibility
- Splash resistant in accordance with IPX4
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Tool-free mounting
- Integrated USB-C quick charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 215 g (incl. bracket)
- OSRAM LED

* Basis ANSI Nema FL1



PRODUCT WEBSITE:
[BUSTER 150 HL](#)



PRODUCT WEBSITE:
[BUSTER 400 HL](#)



PRODUCT WEBSITE:
[BUSTER 800 HL](#)



PRODUCT WEBSITE:
[BUSTER 1100 HL](#)



BUSTER 150 HL

Item no. 19160

BUSTER 150 HL contents:

BUSTER 150 HL, USB-C cable, helmet bracket, operating instructions



BUSTER 400 HL

Item no. 19610

BUSTER 400 HL contents:

BUSTER 400 HL, USB-C cable, helmet bracket, operating instructions



BUSTER 800 HL

Item no. 19810

BUSTER 800 HL contents:

BUSTER 800 HL, USB-C cable, helmet bracket, operating instructions



BUSTER 1100 HL

Item no. 19860

BUSTER 1100 HL contents:

BUSTER 1100 HL, USB-C cable, quick charger, helmet bracket, operating instructions



BUSTER 1600 HL

Item no. 19860

BUSTER 1600 HL contents:

BUSTER 1600 HL, USB-C cable quick charger, helmet bracket, operating instructions

ACCESSORIES

00153

BUSTER HELMET BRACKET



20501

USB CHARGER



18460

USB-C CABLE



18461

CHARGER FAST CHARGER + USB-C CABLE FAST CHARGER



18462

USB-C CABLE FAST CHARGER



**BUSTER 1600 HL**

BEAM RANGE: 205 m

**BUSTER 1100 HL**

BEAM RANGE: 165 m

**BUSTER 800 HL**

BEAM RANGE: 170 m

**BUSTER 400 HL**

BEAM RANGE: 120 m

**BUSTER 150 HL**

BEAM RANGE: 74 m



BUSTER RL 80

**BRIGHT LED REAR LIGHT
WITH FLASH FUNCTION**

FEATURES:

- 1500 m visibility range
- Five modes: High (25 lm), Low (5 lm), Day flashing (80 lm), Night flashing (15 lm), Eco flashing (5 lm)
- Run time: 2 h in High mode, 7 h in Low mode, 4.5 h in Day flashing mode, 6.5 h in Night flashing mode, 12 h in Eco flashing mode
- Mode memory function
- Short button press shows the battery status
- Charge time: 2 h
- Tool-free mounting with flexible silicone mount
- Integrated USB-C charge function
- 240 degree wide angle optics
- Three-stage battery indicator
- Splash resistant in accordance with IPX4
- Weight: 29 g (incl. bracket)



PRODUCT WEBSITE:

BUSTER RL 80



BUSTER RL 150

**FLASHING REAR LIGHT
WITH BRAKE LIGHT**

FEATURES:

- 2000 m visibility range
- 2 LED brake light function
- Five modes: High (40 lm), Low (5 lm), Day flashing (150 lm), Night flashing (25 lm), Eco flashing (5 lm)
- Run time: 4 h in High mode, 20 h in Low mode, 6 h in Day flashing mode, ≤ 7 h in Night flashing mode, 20 h in Eco flashing mode
- Mode memory function
- Short button press shows the battery status
- Charge time: 3 h
- Tool-free mounting with flexible silicone mount
- Integrated USB-C charge function
- 280 degree wide angle optics
- Three-stage battery indicator
- Splash resistant in accordance with IPX4
- Weight: 38 g (incl. bracket)



PRODUCT WEBSITE:

BUSTER RL 150





BUSTER RL 80

Item no. 15500

BUSTER RL 80 contents:
USB-C cable, silicone mount,
operating instructions



BUSTER RL 150

Item no. 15600

BUSTER RL 150 contents:
USB-C cable, silicone mount,
operating instructions

ACCESSORIES

00152

SILICONE MOUNT BUSTER RL80 / RL 150



00157

BUSTER RL EXTENDED SILICONE MOUNT
FOR AERO SEATPOST



18460

USB-C CABLE



20501

USB CHARGER





SIGMA REMOTE ONE

SAFE AND SMART CONTROL

FEATURES:

- 1-channel SIGMA BLE
- Remote Control
- 1 year battery life
- Compatible with:
 - SIGMA RIDE APP
 - EOX® VIEW 700
 - ROX 4.0 / ROX 4.0 ENDURANCE
 - ROX 11.1 EVO / ROX 12.1 EVO (from 03.2025)



PRODUCT WEBSITE:
REMOTE ONE



Item no. 00551

REMOTE ONE contents:

REMOTE ONE, attachment material,
quick-start instructions





POCKET TOOL MEDIUM

17 TOOLS, MANY POSSIBILITIES

FEATURES:

- Phillips screwdriver
- Slot screwdriver
- Spanner T25
- 2.5 / 3 / 4 / 5 / 8 mm Allen key
- Chain rivet
- Spoke wrench for 4 nipple sizes
- 2 Tyre levers
- Bottle opener
- Dimension: 96 x 48 x 11 mm
- Weight: 125 g



PRODUCT WEBSITE:
[POCKET TOOL MEDIUM](#)

Item no. 63001

POCKET TOOL MEDIUM contents:

POCKET TOOL MEDIUM with Phillips screwdriver, Slot screwdriver
Spanner T25, 2.5 / 3 / 4 / 5 / 8 mm Allen key,
Chain rivet, Spoke wrench for 4 nipple sizes, 2 Tyre levers, Bottle opener



POCKET TOOL LARGE

22 TOOLS FOR MECHANICS

FEATURES:

- Phillips screwdriver
- Slot screwdriver
- Spanner T20 / T25
- 2.5 / 3 / 4 / 5 / 6 / 8 mm Allen key
- 8 mm hex key
- Chain rivet
- Chain holder
- Valve key
- Spoke wrench for 4 nipple sizes
- 2 Tyre levers
- Brake pad tool
- Knife
- Bottle opener
- Dimension: 86 x 47 x 21 mm
- Weight: 184 g



PRODUCT WEBSITE:
[POCKET TOOL LARGE](#)

Item no. 63002

POCKET TOOL LARGE contents:

POCKET TOOL LARGE with Phillips screwdriver, Slot screwdriver
Spanner T20 / T25, 2.5 / 3 / 4 / 5 / 6 / 8 mm Allen key,
8 mm hex key, Chain rivet, Chain holder, Valve key,
Spoke wrench for 4 nipple sizes, 2 Tyre levers, Brake pad tool, Knife,
Bottle opener

SIGMA-ELEKTRO GmbH
Dr.-Julius-Leber-Straße 15
67433 Neustadt/Wstr.
Germany
service@sigma.bike
sigma.bike

