
SIGMA®
BIKE COMPUTERS | LIGHTING SYSTEMS



Discover our product world!

On the following pages we will introduce you to our clever bicycle accessories. If you would like to find out more about the individual products, use the product website link or scan the QR code and click through our detailed website. Get to know SIGMAS' product diversity in product videos and find out more about how it can be used in our tutorials. In the FAQ area you will find quick answers to frequently asked questions. Have fun!

PRODUCT WEBSITE:
ROX 4.0 ENDURANCE

- Videos
- Tutorials
- Manuals
- FAQs

SIGMA ORIGINALS – WIRED



BC 5.0 WR
BEGINNER WITH FLAIR

FEATURES:

- Current Speed
- Distance
- Total Distance
- Ride Time
- Clock (12/24h)
- Displays functions using icons
- Predefined tire sizes
- Ride Time up to 100 h
- Adjustable scan mode
- Automatic start/stop
- Watertight in accordance with IPX8
- UFSB-compatible

PRODUCT WEBSITE:
BC 5.0 WR

BC 8.0 WR
ADVANCED BEGINNERS

FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Distance
- Total distance
- Ride time
- Total ride time
- Clock (12/24h)
- Full text display with seven available languages
- Predefined tire sizes
- Automatic start/stop
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB

PRODUCT WEBSITE:
BC 8.0 WR

BC 10.0 WR
ACHIEVE YOUR BEST TIME

FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Maximum speed
- Distance
- Total distance
- Ride time
- Total ride time
- Clock (12/24h)
- Current temperature
- Full text display with seven available languages
- Predefined tire sizes
- Automatic start/stop
- Data retention when batteries are replaced (settings and total values)
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB

PRODUCT WEBSITE:
BC 10.0 WR

BC 12.0 WR
SPORTY STATISTICIANS

FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Maximum speed
- Distance
- Total distance (Bike 1/Bike 2)
- Ride time
- Total ride time (Bike 1/Bike 2)
- Clock (12/24h)
- Current temperature
- CADENCE
- Current cadence*
- Full text display with seven available languages
- Predefined tire sizes
- Can be used for two bikes
- Automatic start/stop
- Data retention when batteries are replaced (settings and total values)
- Battery status indicator (computer head)
- Workout statistics for 12 months
- Backlight
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB

PRODUCT WEBSITE:
BC 12.0 WR

BC 14.0 WR
ALL-ROUNDER FOR HILL CLIMBERS

FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Maximum speed
- Distance
- Total distance (Bike 1/Bike 2)
- Ride time
- Total ride time (Bike 1/Bike 2)
- Clock (12/24h)
- Current temperature
- ALTITUDE
- Current altitude
- Current gradient
- Trip altitude uphill
- Maximum trip altitude
- Total altitude uphill (Bike 1/Bike 2)
- Full text display with seven available languages
- Predefined tire sizes
- Can be used for two bikes
- Automatic start/stop
- Data retention when batteries are replaced (settings and total values)
- Battery status indicator (computer head)
- Workout statistics for 12 months
- Backlight
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB

PRODUCT WEBSITE:
BC 14.0 WR



BC 5.0 WR

Item no. 05210

BC 5.0 WR contents:
Bike computer (incl. battery), bracket for cable models, magnet, mounting material, operating instruction



BC 8.0 WR

Item no. 08210

BC 8.0 WR contents:
Bike computer (incl. battery), bracket for cable models, magnet, mounting material, operating instructions



BC 10.0 WR

Item no. 10210

BC 10.0 WR contents:
Bike computer (incl. battery), bracket for cable models, magnet, mounting material, operating instructionsg



BC 12.0 WR

Item no. 12210

BC 12.0 WR contents:
Bike computer (incl. battery), bracket for cable models, magnet, mounting material, operating instructions



BC 14.0 WR

Item no. 14210

BC 14.0 WR contents:
Bike computer (incl. battery), bracket for cable models, magnet, mounting material, operating instructions

ACCESSORIES

00532 CABLE BRACKET 2032 (150 CM) 	00530 CABLE BRACKET 2032 (90 CM) 	00536 CABLE KIT 2032 (90 CM) 	00537 MAGNET 	00342 LITHIUM BATTERY CR2032 	00301 SERVICE KIT 2032 	00473 LONG BUTLER TL2450 WR/WL 
00533 CABLE BRACKET 2450 (150 CM) 	00531 CABLE BRACKET 2450 (90 CM) 	00544 CABLE KIT 2450 (90 CM) 	00502 OVER CLAMP BUTLER 2450 WL/WR 	20316 LITHIUM BATTERY CR2450 	00302 SERVICE KIT 2450 	

SIGMA ORIGINALS – WIRELESS



BC 5.0 WL

BEGINNER WITH FLAIR

FEATURES:

- Current Speed
- Distance
- Total Distance
- Ride Time
- Clock (12/24h)
- Displays functions using icons
- Predefined tire sizes
- Ride Time up to 100 h
- Adjustable scan mode
- Automatic start/stop
- Watertight in accordance with IPX8
- UFSB-compatible

PRODUCT WEBSITE:
BC 5.0 WL

BC 8.0 WL

ADVANCED BEGINNERS

FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Distance
- Total distance
- Ride time
- Total ride time
- Clock (12/24h)
- Full text display with seven available languages
- Predefined tire sizes
- Automatic start/stop
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB

PRODUCT WEBSITE:
BC 8.0 WL

BC 10.0 WL

ACHIEVE YOUR BEST TIME

FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Maximum speed
- Distance
- Total distance
- Ride time
- Total ride time
- Clock (12/24h)
- Current temperature
- Full text display with seven available languages
- Predefined tire sizes
- Automatic start/stop
- Data retention when batteries are replaced (settings and total values)
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB

PRODUCT WEBSITE:
BC 10.0 WL

BC 12.0 WL WL CAD

SPORTY STATISTICIANS

FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Maximum speed
- Distance
- Total distance (Bike 1/Bike 2)
- Ride time
- Total ride time (Bike 1/Bike 2)
- Clock (12/24h)
- Current temperature

CADENCE

- Full text display with seven available languages
- Predefined tire sizes
- Can be used for two bikes
- Automatic start/stop
- Data retention when batteries are replaced (settings and total values)
- Battery status indicator (computer head + transmitter)
- Workout statistics for 12 months
- Automatic bike recognition
- Automatic pairing
- Backlight
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB

* BC 12.0 WL CAD, optional BC 12.0 WL

PRODUCT WEBSITE:
BC 12.0 WL

BC 14.0 WL WL CAD

ALL-ROUNDER FOR HILL CLIMBERS

FEATURES:

- Current speed
- Average speed
- Comparison of cur./avg. speed
- Maximum speed
- Distance
- Total distance (Bike 1/Bike 2)
- Ride time
- Total ride time (Bike 1/Bike 2)
- Clock (12/24h)
- Current temperature

ALTITUDE

- Current altitude
- Current gradient
- Trip altitude uphill
- Maximum trip altitude
- Total altitude uphill (Bike 1/Bike 2)

CADENCE

- Current cadence*
- Full text display with seven available languages
- Predefined tire sizes
- Can be used for two bikes
- Automatic start/stop
- Data retention when batteries are replaced (settings and total values)
- Battery status indicator (computer head + transmitter)
- Workout statistics for 12 months
- Automatic bike recognition
- Automatic pairing
- Backlight
- Watertight in accordance with IPX8
- UFSB-compatible
- Service interval adjustable via UFSB

* BC 14.0 WL CAD, optional BC 14.0 WL

PRODUCT WEBSITE:
BC 14.0 WL



BC 5.0 WL

Item no. 05211

BC 5.0 WL contents:
Bike computer (incl. battery), bracket for wireless models, ATS speed transmitter (incl. battery), magnet, mounting material, operating instructions



BC 8.0 WL

Item no. 08211

BC 8.0 WL contents:
Bike computer (incl. battery), bracket for wireless models, ATS speed transmitter (incl. battery), magnet, mounting material, operating instructions



BC 10.0 WL

Item no. 10211

BC 10.0 WL contents:
Bike computer (incl. battery), bracket for wireless models, ATS speed transmitter (incl. battery), magnet, mounting material, operating instructions



BC 12.0 WL WL CAD

Item no. 12211

BC 12.0 WL contents:
Bike computer (incl. battery), bracket for wireless models, STS speed transmitter (incl. battery), magnet, mounting material, operating instructions

Item no. 12212

BC 12.0 WL CAD contents:
Contents BC 12.0 WL + STS cadence transmitter + cadence magnet



BC 14.0 WL WL CAD

Item no. 14211

BC 14.0 WL contents:
Bike computer (incl. battery), bracket for wireless models, STS speed transmitter (incl. battery), magnet, mounting material, operating instructions

Item no. 14212

BC 14.0 WL CAD contents:
Contents BC 14.0 WL + STS cadence transmitter + cadence magnet

ACCESSORIES

00473 LONG BUTLER TL2450 WR/WL	00502 OVER CLAMP BUTLER 2450 WL/WR	00540 ATS SPEED TRANSMITTER	00543 ATS BIKE 2 KIT 2032	00534 ATS HANDLEBAR BRACKET 2032	00538 POWER MAGNET	00301 SERVICE KIT 2032	00342 LITHIUM BATTERY CR2032
00545 STS BIKE 2 KIT 2450	00546 STS CADENCE TRANSMITTER KIT	00542 STS CADENCE TRANSMITTER	00541 STS SPEED TRANSMITTER	00535 STS HANDLEBAR BRACKET 2450	00539 CADENCE MAGNET	00302 SERVICE KIT 2450	20316 LITHIUM BATTERY CR2450

ROX-SERIES GPS BIKE COMPUTERS



ROX 2.0

GPS BIKE COMPUTER FOR BEGINNERS

HIGHLIGHTS:

- Track navigation with Re-Routing
- 14 functions
- E-bike ready
- Ready to go any time*
- Customizable large display
- Track navigation
- SIGMA RIDE App

*no sensor mounting necessary

PRODUCT WEBSITE:
ROX 2.0

ROX 4.0

GPS BIKE COMPUTER WITH ALTITUDE MEASUREMENT

HIGHLIGHTS:

- Track navigation with Re-Routing
- 30 functions
- E-bike ready
- Barometric altitude measurement
- Compatible with external sensors
- Track navigation
- SIGMA RIDE App

PRODUCT WEBSITE:
ROX 4.0



ROX-SERIES GPS BIKE COMPUTERS



ROX 2.0 ENDURANCE

SMART GPS BIKE COMPUTER
WITH EXTRA-LONG BATTERY LIFE

HIGHLIGHTS:

- Up to 26 hours of battery life
- Track navigation with Re-Routing
- 14 functions
- E-bike ready
- Ready to go any time*
- Customizable large display
- Track navigation
- SIGMA RIDE App

*no sensor mounting necessary

PRODUCT WEBSITE:
ROX 2.0 ENDURANCE

ROX 4.0 ENDURANCE

SMART GPS BIKE COMPUTER
WITH EXTRA-LONG BATTERY LIFE

HIGHLIGHTS:

- Up to 41 hours of battery life
- Track navigation with Re-Routing
- 30 functions
- E-bike ready
- Barometric altitude measurement
- Compatible with external sensors
- komoot navigation
- SIGMA RIDE App

PRODUCT WEBSITE:
ROX 4.0 ENDURANCE

ROX 11.1 EVO

GPS TRAINING COMPUTER
BROAD RANGE OF FUNCTIONS

HIGHLIGHTS:

- 150+ functions
- E-bike ready
- High-contrast color display
- Personalizable training views
- Track and komoot navigation
- SIGMA RIDE App

PRODUCT WEBSITE:
ROX 11.1 EVO



ROX-SERIES GPS BIKE COMPUTERS

ROX 12.1 EVO

GPS BIKE COMPUTER WITH MAP NAVIGATION

PRODUCT WEBSITE:
ROX 12.1 EVO

HIGHLIGHTS:


- 150+ functions
- Map navigation
- E-bike ready
- 3" transflective color display
- Personal training views
- Barometric altitude measurement
- SIGMA RIDE App




INNOVATIVE MAP NAVIGATION



BIKE-OPTIMIZED MAPS




ONE TOUR, MANY OPTIONS



LOAD TRACKS EASILY EVO!



PLAN RIDES EVO!



INDIVIDUAL ROUTING



TURN-BY-TURN NAVIGATION




DRAW MY ROUTE



SMART RE-ROUTING

FURTHER HIGHLIGHTS ROX 12.1 EVO



INNOVATIVE MAP NAVIGATION

- SIGMA bike-optimized OSM maps **EVO!**
- Pre-installed maps*
- Maps for free global download
- Various routing options
- Turn-by-turn navigation
- Smart re-routing

* Countries vary by market

SMART CONNECTIVITY

- SIGMA RIDE app **EVO!**
- Smart notifications **EVO!**
- Crash alert **EVO!**
- Expanded third-party-provider Integration **EVO!**

PROFESSIONAL TRAINING SYSTEM

- 20 sport profiles for installation **EVO!**
- Six customizable training views
- Strava Live Segments
- Workouts
- Drinking and eating alarms
- Advanced sensor connection **EVO!**
  (FE-C, radar, Shimano Di2, eShift, ROTOR Power, etc.)

INTUITIVE INTERFACE

- Modern, streamlined user interface **EVO!**
- Shortcut and favorites menu
- Touch display and additional large buttons for easy operation with gloves
- Home button returns the user to the main menu

E-BIKE-READY **EVO!**

- Battery level
- Support level
- Range
- Gear-change recommendation
- and much more*

* The parameters shown on the display vary according to the e-system connected.

POWERFUL HARDWARE

- GNSS reception **EVO!**
- Quick route calculation
- Fast map image build-up
- Quick updates and map downloads via WiFi
- Compact and light **EVO!**
- Transflective 3" colour display
- Dustproof and water-resistant (IP67)

ROX-SERIES GPS BIKE COMPUTERS



ROX 2.0

Item no. 01050

ROX 2.0 BLACK contents:
Bike computer, GPS mount, attachment material, USB-C cable, quick-start instructions

Item no. 01052

ROX 2.0 TOP MOUNT SET BLACK contents:
Bike computer, USB-C cable, OVER CLAMP BUTLER GPS, quick start guide

Item no. 01051

ROX 2.0 WHITE contents:
Bike computer, GPS mount, attachment material, USB-C cable, quick-start instructions

Item no. 01053

ROX 2.0 TOP MOUNT SET WHITE contents:
Bike computer, USB-C cable, OVER CLAMP BUTLER GPS, quick start guide



ROX 4.0

Item no. 01060

ROX 4.0 BLACK contents:
Bike computer, GPS mount, attachment material, USB-C cable, quick-start instructions

Item no. 01062

ROX 4.0 HR SET BLACK contents:
Contents 01060 + R1 DUO transmitter + chest strap, OVER CLAMP BUTLER GPS

Item no. 01064

ROX 4.0 SENSOR SET BLACK contents:
Contents 01062 + DUO MAGNETLESS SPEED, DUO MAGNETLESS CADENCE

Item no. 01061

ROX 4.0 WHITE contents:
Bike computer, GPS mount, attachment material, USB-C cable, quick-start instructions

Item no. 01063

ROX 4.0 HR SET WHITE contents:
Contents 01061 + R1 DUO transmitter + chest strap, OVER CLAMP BUTLER GPS

Item no. 01065

ROX 4.0 SENSOR SET WHITE contents:
Contents 01063 + DUO MAGNETLESS SPEED, DUO MAGNETLESS CADENCE



ROX 2.0 ENDURANCE

Item no. 01054

ROX 2.0 ENDURANCE BLACK contents:
Bike computer, OVER CLAMP BUTLER GPS, attachment material, USB-C cable, quick-start instructions

Item no. 01055

ROX 2.0 ENDURANCE WHITE contents:
Bike computer, OVER CLAMP BUTLER GPS, attachment material, USB-C cable, quick-start instructions



ROX 4.0 ENDURANCE

Item no. 01066

ROX 4.0 ENDURANCE BLACK contents:
Bike computer, OVER CLAMP BUTLER GPS, attachment material, USB-C cable, quick-start instructions

Item no. 01068

ROX 4.0 ENDURANCE HR SET BLACK contents:
Contents 01066 + R1 DUO transmitter + chest strap

Item no. 01070

ROX 4.0 ENDURANCE SENSOR SET BLACK contents:
Contents 01068 + DUO MAGNETLESS SPEED, DUO MAGNETLESS CADENCE

Item no. 01067

ROX 4.0 ENDURANCE WHITE contents:
Bike computer, OVER CLAMP BUTLER GPS, attachment material, USB-C cable, quick-start instructions

Item no. 01069

ROX 4.0 ENDURANCE HR SET WHITE contents:
Contents 01067 + R1 DUO transmitter + chest strap

Item no. 01071

ROX 4.0 ENDURANCE SENSOR SET WHITE contents:
Contents 01069 + DUO MAGNETLESS SPEED, DUO MAGNETLESS CADENCE

ACCESSORIES

00463	00475	00472	00500	20331	20318	20332	20335	20336	18460	20501
GPS MOUNT	SHORT BUTLER GPS	LONG BUTLER GPS**	OVER CLAMP BUTLER GPS**	R1 DUO HR TRANSMITTER*	COMFORTEX+ CHEST STRAP*	R 1 DUO TRANSMITTER + CHEST STRAP*	DUO MAGNETLESS SPEED	DUO MAGNETLESS CADENCE	USB-C CABLE	USB CHARGER
										

*Not compatible with ROX 2.0 **Mount recommendation for ROX 4.0 / ROX 4.0 ENDURANCE / ROX 12.1 EVO



ROX 11.1 EVO

Item no. 01030

ROX 11.1 EVO BLACK contents:
Bike computer, GPS mount, attachment material, USB-C cable, quick-start instructions

Item no. 01032

ROX 11.1 EVO HR SET BLACK contents:
Contents 01060 + R1 DUO transmitter + chest strap, SHORT BUTLER GPS

Item no. 01034

ROX 11.1 EVO SENSOR SET BLACK contents:
Contents 01062 + DUO MAGNETLESS SPEED, DUO MAGNETLESS CADENCE

Item no. 01031

ROX 11.1 EVO WHITE contents:
Bike computer, GPS mount, attachment material, USB-C cable, quick-start instructions

Item no. 01033

ROX 11.1 EVO HR SET WHITE contents:
Contents 01061 + R1 DUO transmitter + chest strap, SHORT BUTLER GPS

Item no. 01035

ROX 11.1 EVO SENSOR SET WHITE contents:
Contents 01063 + DUO MAGNETLESS SPEED, DUO MAGNETLESS CADENCE



ROX 12.1 EVO

Item no. 01040

ROX 12.1 EVO BASIC NIGHT GRAY contents:
Bike computer, LONG BUTLER GPS, GPS mount, attachment material, USB-C cable, loop, quick-start instructions

Item no. 01042

ROX 12.1 EVO SET NIGHT GRAY contents:
Bike computer, LONG BUTLER GPS, GPS mount, R1 DUO transmitter + chest strap, DUO MAGNETLESS SPEED, DUO MAGNETLESS CADENCE, attachment material, USB-C cable, loop, quick-start instructions

Item no. 01041

ROX 12.1 EVO BASIC WHITE contents:
Bike computer, LONG BUTLER GPS, GPS mount, attachment material, USB-C cable, loop, quick-start instructions

Item no. 01043

ROX 12.1 EVO SET WHITE contents:
Bike computer, LONG BUTLER GPS, GPS mount, R1 DUO transmitter + chest strap, DUO MAGNETLESS SPEED, DUO MAGNETLESS CADENCE, attachment material, USB-C cable, loop, quick-start instructions

ACCESSORIES

00463	00475	00472	00500	20331	20318	20332	20335	20336	18460	20501
GPS MOUNT	SHORT BUTLER GPS	LONG BUTLER GPS**	OVER CLAMP BUTLER GPS**	R1 DUO HR TRANSMITTER*	COMFORTEX+ CHEST STRAP*	R 1 DUO TRANSMITTER + CHEST STRAP*	DUO MAGNETLESS SPEED	DUO MAGNETLESS CADENCE	USB-C CABLE	USB CHARGER
										

*Not compatible with ROX 2.0 **Mount recommendation for ROX 4.0 / ROX 4.0 ENDURANCE / ROX 12.1 EVO

EOX-SERIES E-BIKE INTEGRATED



EOX® VIEW 700

YOUR INTUITIVE E-BIKE PARTNER

HIGHLIGHTS:

- E-bike functions*:
  (assist mode, range, speed, e-bike charge status, light status)
- Connection to smartphone possible
- Clock
- Backlight
- (Optional) remote operation via EOX® Remote 500 or the

* The availability of the functions depends on the connected e-system.

PRODUCT WEBSITE:
EOX® VIEW 700

EOX® VIEW 1300

YOUR SMART E-BIKE COMPANION

HIGHLIGHTS:

- E-bike functions*
  (assist mode, range, speed, battery charge level,
  pedalling power, power comparison (pedalling power
  and motor power), cadence, light status (high/low beam)
  low beam), gear indicator and shift recommendation)
- Heart rate (via BLE chest strap) and training indicator
- Calorie consumption
- egmented FSTN display
- Navigation with komoot turn-by-turn directions
- E-system and smartphone connection,
  Time and date
- Backlight
- (Optional) remote operation via EOX® Remote 500
- Customisation via the EOX® app

* The availability of the functions depends connected E-System.

PRODUCT WEBSITE:
EOX® VIEW 1300





EOX® VIEW 700

Item no. 47250

EOX® VIEW 700 contents:
Bike Computer, Over Clamp Butler EOX®,
Quick start guide



EOX® VIEW 1300

Item no. 45050

EOX® VIEW 1300 contents:
Bike Computer, Over Clamp Butler EOX®,
Quick start guide

ACCESSORIES

00503	20331	20318	20332	20316
OVER CLAMP BUTLER EOX	R1 DUO HR TRANSMITTER*	COMFORTEX+ ELASTIC STRAP*	R 1 DUO TRANSMITTER + STRAP*	LITHIUM-BATTERIE CR2450
				

*Not compatible with EOX® VIEW 700

EOX-SERIES E-BIKE LIGHTS





EOX® RL RACK

STRONG AND SAFE

HIGHLIGHTS:

- 2 LED technologie
- 4,2 lumens
- 50 mm Rack mounting
- Z-Reflector inside
- Waterproof to IP 44
- Voltage range: 6-48V / 0,8W

PRODUCT WEBSITE:
EOX® RL RACK

Item no. 47330

EOX® RL RACK contents:
Rear light, attachment material,
quick-start instructions



EOX® RL RACK BRAKE

STRONG AND SAFE BRAKELIGHT

HIGHLIGHTS:

- Brakelight function
- Emergency-Brakelight
- 2 LED technologie + 32 COB LED
- 8 lumens
- 50 mm Rack mounting
- Z-Reflector inside
- Waterproof to IP 44
- Voltage range: 6-48V / 0,8W

PRODUCT WEBSITE:
EOX® RL RACK BRAKE

Item no. 47340

EOX® RL RACK BRAKE contents:
Rear light, attachment material,
quick-start instructions



EOX® FL 100

SAFE AND SIMPLE

HIGHLIGHTS:

- Effectiveness: 100 lux
- Beam range: 100m
- 6500 K – Color Temperature
- Light Guide for excellent side visibility
- Reflector optional
- Water resistance to IP67
- Voltage range: 6-48V, 3W

PRODUCT WEBSITE:
EOX® FL 100

Item no. 47300

EOX® FL 100 contents:
Front light, Fork bracket, Extension cable + Cable connector, Front reflector,
attachment material, instruction manual

AURA-SERIES FRONT LIGHTS



AURA 30

DURABLE, COST-EFFECTIVE BATTERY-POWERED LIGHT

FEATURES:

- Effectiveness: 30 lux (15 lux in Eco mode)
- Beam range: 40 m
- Run time: 5 h in Standard mode; 15 h in Eco mode
- Splash resistant in accordance with IPX4
- Tool-free mounting
- Incl. batteries (2x AA)
- Two-stage battery indicator
- Weight: 69 g (incl. bracket, without batteries)

PRODUCT WEBSITE: AURA 30

AURA 35 USB

BATTERY-POWERED BIKE LIGHT AT A LOW PRICE

FEATURES:

- Effectiveness: 35 lux (15 lux in Eco mode)
- Beam range: 45 m
- Run time: 5 h in Standard mode; 12 h in Eco mode
- Charge time: 2.8 h
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- 360° adjustable bracket
- Tool-free mounting
- Integrated Micro-USB charge function
- Two-stage battery/charge indicator
- Charging possible during operation
- Weight: 90 g (incl. bracket)
- Improved side visibility
- CREE LED

PRODUCT WEBSITE: AURA 35 USB

AURA 45 USB

STVZO BIKE LIGHT WITH BRIGHTNESS SENSOR

FEATURES:

- Effectiveness: 45 lux (15 lux in Eco mode)
- Beam range: 55 m
- Run time: 6.5 h in Standard mode; 21 h in Eco mode
- Charge time: 2.3 h
- Brightness sensor
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- 360° adjustable bracket
- Tool-free mounting
- Integrated Micro-USB charge function
- Two-stage battery/charge indicator
- Charging possible during operation
- Weight: 88 g (incl. bracket)
- Side visibility
- Osram LED

PRODUCT WEBSITE: AURA 45 USB

AURA 60 USB

SPORTY BIKE FRONT LIGHT WITH LIGHT GUIDE

FEATURES:

- Effectiveness: 60 lux (30 lux in Mid mode; 18 lux in Eco mode)
- Beam range: 70 m
- Run time: 4 h in Standard mode; 7 h in Mid mode; 10 h in Eco mode
- Charge time: 3.5 h
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- 360° adjustable bracket
- Tool-free mounting
- Integrated Micro-USB charge function
- Two-stage battery/charge indicator
- Charging possible during operation
- Weight: 105 g (incl. bracket)
- Light Guide for excellent side visibility
- Osram LED

PRODUCT WEBSITE: AURA 60 USB

AURA 80 USB

CLEVER BIKE LIGHT WITH AN ELEGANT DESIGN

FEATURES:

- Effectiveness: 80 lux (60 lux in Mid mode; 40 lux in Low mode; 20 lux in Eco mode)
- Beam range: 90 m
- Run time: 4 h in Standard mode; 5 h in Mid mode; 6.5 h in Low mode; 15 h in Eco mode
- Charge time: 4.5 h
- Five-stage battery indicator
- Four-stage charge-level indicator
- Modes display
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- 360° adjustable bracket
- Tool-free mounting
- Integrated Micro-USB charge function
- Charging possible during operation
- Weight: 119 g (incl. bracket)
- Light Guide for excellent side visibility
- Osram LED

PRODUCT WEBSITE: AURA 80 USB

AURA 100 / BLAZE LINK

CONNECTED LIGHTS – EASIER TO USE THAN EVER BEFORE

FEATURES:

AURA 100 LINK

- Effectiveness: 100 lux (75 lux in Mid mode, 50 lux in Low mode and 25 lux in Eco mode)
- Beam range: 110 m
- Run time: 3 h in Standard mode; 4 h in Mid mode; 6 h in Low mode, 12 h in Eco mode
- Charge time: 4.5 h
- 5-level battery indicator
- 4-level battery charge display
- Mode indicator for AURA 100 / BLAZE LINK
- Brightness sensor
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- 360°-adjustable silicone mount with quick release
- Tool-free mounting
- Integrated Micro-USB charge function
- Charging possible during operation
- Weight: 115 g (incl. bracket)
- Light Guide for excellent side visibility
- Osram LED

BLAZE LINK

- 3 LED brake light function
- Brightness sensor
- 500 m visibility range
- Run time: 7 h
- Charge time: 3 h
- Tool-free mounting with flexible silicone mount
- Integrated micro USB charge function
- Improved side visibility
- Battery indicator
- Splash resistant in accordance with IPX4
- Weight: 22 g

PRODUCT WEBSITE: AURA 100 / BLAZE LINK

AURA-SERIES FRONT LIGHTS / LIGHTING SETS



AURA 30

Item no. 15950

AURA 30 contents:
2x AA batteries, operating instructions



Item no. 15970

PRODUCT WEBSITE

AURA 30 / CURVE
Complete set contents:
AURA 30, CURVE, 2x AA, 2x AAA batteries



AURA 35 USB

Item no. 17350

AURA 35 USB contents:
Micro-USB cable, operating instructions



Item no. 17860

PRODUCT WEBSITE

AURA 35 USB / NUGGET II
Complete set contents:
AURA 35 USB, NUGGET II, Micro-USB cable



AURA 45 USB

Item no. 17450

AURA 45 USB contents:
Micro-USB cable, operating instructions



Item no. 17460

PRODUCT WEBSITE

AURA 45 USB / NUGGET II
Complete set contents:
AURA 45 USB, NUGGET II, Micro-USB cable



AURA 60 USB

Item no. 17700

AURA 60 USB contents:
Micro-USB cable, operating instructions



Item no. 17760

PRODUCT WEBSITE

AURA 60 USB / SIGMA® INFINITY
Complete set contents:
AURA 60 USB, SIGMA® INFINITY, Micro-USB cable



Item no. 17750

PRODUCT WEBSITE

AURA 60 USB / NUGGET II
Complete set contents:
AURA 60 USB, NUGGET II, Micro-USB cable



AURA 80 USB

Item no. 17800

AURA 80 USB contents:
Micro-USB cable, operating instructions



Item no. 17860

PRODUCT WEBSITE

AURA 80 USB / BLAZE
Complete set contents:
AURA 80 USB, BLAZE, Micro-USB cable



Item no. 17850

PRODUCT WEBSITE

AURA 80 USB / NUGGET II
Complete set contents:
AURA 80 USB, NUGGET II, Micro-USB cable



AURA 100 / BLAZE LINK

Item no. 17950

AURA 100 / BLAZE LINK Set contents:
AURA 100 LINK, BLAZE LINK, Micro-USB cable, operating instructions



Item no. 117900

PRODUCT WEBSITE

AURA 100 / BLAZE LINK Set contents:
AURA 100 LINK Srew Bracket, BLAZE LINK,
Micro-USB cable

ACCESSORIES

00150	00151	00146	00155	00468	00481	00156	00304	00305	18553	20501	117900	115150
SILICONE MOUNT AURA 100	SCREW-BRACKET MOUNT AURA 100	SILICONE BRACKET AURA SERIES	AURA 100 OUT FRONT MOUNT WITH GOPRO ADAPTER	O-RING BRACKET FOR NUGGET II	SILICONE MOUNT FOR REAR LIGHTS	EXTENDED SILICONE MOUNT FOR AERO SEATPOST*	SIGMA SERVICE – KIT RL NUGGET	SIGMA SERVICE – KIT RL BLAZE/CURVE/INFINITY	MIKRO-USB CABLE	USB CHARGER	AURA 100 FL (SINGLE)	BLAZE LINK RL (SINGLE)

*For BLAZE / BLAZE LINK / BLAZE FLASH, CURVE, SIGMA® INFINITY

AURA-SERIES FRONT LIGHTS



AURA 100 LINK

BEAM RANGE: 110 m



AURA 80 USB

BEAM RANGE: 90 m



AURA 60 USB

BEAM RANGE: 70 m



AURA 45 USB

BEAM RANGE: 55 m



AURA 35 USB

BEAM RANGE: 45 m



AURA 30

BEAM RANGE: 40 m

AURA-SERIES REAR LIGHTS



CURVE

STRONG BATTERY-POWERED REAR LIGHT WITH DESIGN FACTOR

FEATURES:

- 400 m visibility range
- Run time: 29 h
- Tool-free mounting with flexible silicone mount
- Incl. batteries (2x AAA)
- Side visibility
- Two-stage battery/charge indicator
- Splash resistant in accordance with IPX4
- Weight: 27 g (incl. bracket, without batteries)

PRODUCT WEBSITE:
CURVE



NUGGET II

BATTERY-POWERED REAR LIGHT FOR ALL-ROUND VISIBILITY

FEATURES:

- 400 m visibility range
- Run time: 6 h
- Charge time: 2 h
- Tool-free mounting with O-ring bracket
- Integrated Micro-USB charge function
- Side visibility
- Two-stage battery/charge indicator
- Splash resistant in accordance with IPX4
- Weight: 24 g

NUGGET II FLASH

FEATURES LIKE NUGGET II +:

- Run time: 5 h (standard), 2 h (high power), 8 h, (high power flashing)

PRODUCT WEBSITE:
NUGGET II

PRODUCT WEBSITE:
NUGGET II FLASH



SIGMA® INFINITY

STYLISH BATTERY-POWERED REAR LIGHT FOR ALL SITUATIONS

FEATURES:

- 500 m visibility range
- Run time: 16 h
- Charge time: 2.2 h
- Tool-free mounting with flexible silicone mount
- Integrated micro USB charge function
- Wide beam angle (240°)
- Two-stage battery indicator
- Splash resistant in accordance with IPX4
- Weight: 25 g

PRODUCT WEBSITE:
SIGMA® INFINITY



BLAZE

LED REAR LIGHT WITH BRAKE LIGHT FUNCTION

FEATURES:

- 3 LED brake light function
- Day and night mode
- 500 m visibility range
- Run time: 7 h
- Charge time: 3 h
- Tool-free mounting with flexible silicone mount
- Integrated micro USB charge function
- Improved side visibility
- Battery indicator
- Splash resistant in accordance with IPX4
- Weight: 22 g

BLAZE FLASH

FEATURES LIKE BLAZE +:

- Run time: 9 h (standard), 11 h (puls flashing), 50 h (Eco flashing)

PRODUCT WEBSITE:
BLAZE

PRODUCT WEBSITE:
BLAZE FLASH



CURVE

Item no. 15960

CURVE contents:
2x AAA batteries, silicone mount, operating instructions



NUGGET II / FLASH

Item no. 15050

NUGGET II contents:
Micro-USB cable, 2x O-ring bracket with 2x O-rings of different diameters, operating instructions

Item no. 15051

NUGGET II FLASH contents:
Micro-USB cable, 2x O-ring bracket with 2x O-rings of different diameters, operating instructions



SIGMA® INFINITY

Item no. 15200

SIGMA® INFINITY contents:
Micro-USB cable, silicone mount, operating instructions



BLAZE / FLASH

Item no. 15100

BLAZE contents:
Micro-USB cable, silicone mount, operating instructions

Item no. 15110

BLAZE FLASH contents:
Micro-USB cable, silicone mount, operating instructions

ACCESSORIES

00468	00481	00156	00304	00305	18553	20501
O-RING SET NUGGET II	SILICONE MOUNT REAR LIGHTS	EXTENDED SILICONE MOUNT FOR AERO SEATPOST*	SIGMA SERVICE – KIT RL NUGGET	SIGMA SERVICE – KIT RL BLAZE/CURVE/INFINITY	MIKRO-USB CABLE	USB CHARGER
						

*For BLAZE / BLAZE LINK / BLAZE FLASH, CURVE, SIGMA® INFINITY

SIGMA

BUSTER-SERIES



BUSTER 150

SMALL, LIGHT, AND WITH PLENTY OF POWER

FEATURES:

- Maximum light output: 150 lumens
- Beam range: 74 m*
- Five light modes: High (150 lm), Mid (75 lm), Low (35 lm), Night flashing (100/40 lm) Day flashing (40 lm)
- Run time: 3 h in High mode, 7.5 h in Mid mode, 14.5 h in Low mode, 5 h in Night flashing mode, 25 h in Day flashing mode
- Charge time: 2.5 h
- Tool-free mounting
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA light guide for outstanding visibility
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Integrated USB-C charge function
- Weight: 76 g (incl. bracket)
- OSRAM LED

* Basis ANSI Nema FL1

PRODUCT WEBSITE:
BUSTER 150

BUSTER 400

AN ALL-ROUNDER FOR EVERY OCCASION

FEATURES:

- Maximum light output: 400 lumens
- Beam range: 120 m*
- Five light modes: High (400 lm), Mid (200 lm), Low (100 lm), Night flashing (300/100 lm) Day flashing (100 lm)
- Run time: 2 h in High mode, 4 h in Mid mode, 9 h in Low mode, 5 h in Night flashing mode, 30 h in Day flashing mode
- Charge time: 3 h
- Tool-free mounting
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA light guide for outstanding visibility
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Integrated USB-C charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 107 g (incl. bracket)
- OSRAM LED

* Basis ANSI Nema FL1

PRODUCT WEBSITE:
BUSTER 400

BUSTER 800

YOUR LIGHT IN THE DARK

FEATURES:

- Maximum light output: 800 lumens
- Beam range: 170 m*
- Five light modes: High (800 lm), Mid (400 lm), Low (150 lm), Night flashing (600/200 lm) Day flashing (200 lm)
- Run time: 2 h in High mode, 3 h in Mid mode, 9 h in Low mode, 5 h in Night flashing mode, 30 h in Day flashing mode
- Charge time: 4 h
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA light guide for outstanding visibility
- Five pre-set mode profiles
- Mode memory function
- Short button press shows the battery status
- Tool-free mounting
- Integrated USB-C charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 150 g (incl. bracket)
- CREE LED

* Basis ANSI Nema FL1

PRODUCT WEBSITE:
BUSTER 800

SIGMA

BUSTER-SERIES



BUSTER 1100

ULTIMATE POWER FOR MORE SAFETY

FEATURES:

- Maximum light output: 1100 lumens
- Beam range: 165 m*
- Six light modes: High (1100 lm), Mid (800 lm), Low (400 lm), Eco (150 lm), Night flashing (800/400 lm) Day flashing (200 lm)
- Run time: 2 h in High mode, 2.5 h in Mid mode, 5 h in Low mode, 16 h in Eco mode, 5 h in Night flashing mode, 50 h in Day flashing mode
- Charge time: 3 h
- Switch on protection (double click for ON)
- SIGMA light guide for outstanding visibility
- Splash resistant in accordance with IPX4
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Tool-free mounting
- Integrated USB-C quick charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 215 g (incl. bracket)
- OSRAM LED

* Basis ANSI Nema FL1

PRODUCT WEBSITE:
BUSTER 1100

NEW

BUSTER 1600

FOR BRIGHTER MOMENTS

FEATURES:

- Maximum light output: 1600 lumens
- Beam range: 205 m*
- Six light modes: High (1600 lm), Mid (1000 lm), Low (500 lm), Eco (150 lm), Night flashing (800/400 lm), Day flashing (200 lm)
- Run time: 1.75 h in High mode, 2.8 h in Mid mode, 6.8 h in Low mode, 18 h in Eco mode, 5 h in Night flashing mode, 50 h in Day flashing mode
- Charge time: 3 h
- Switch on protection (double click for ON)
- SIGMA light guide for outstanding visibility
- Splash resistant in accordance with IPX4
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Tool-free mounting
- Integrated USB-C quick charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 215 g (incl. bracket)
- OSRAM LED

* Basis ANSI Nema FL1

PRODUCT WEBSITE:
BUSTER 1600

BUSTER 2000

MAKES THE NIGHT AS BRIGHT AS DAY

FEATURES:

- Maximum light output: 2000 lumens
- Beam range: 200 m
- Seven light modes: High-power mode (2000 lm), Power mode (1100 lm), Standard mode (600 lm), Eco mode (300 lm), Flashing, Pulse and SOS-flashing mode
- Run time: 2.5 h in High-power mode, 5 h in Power mode, 10 h in Standard mode, 20 h in Eco mode, 9 h in Flashing mode, 11 h in Pulsing mode, 10 h in SOS-flashing mode
- Switch on protection (double click for ON)
- Splash resistant in accordance with IP44
- Weight: 125 g

BATTERY PACK

- 6400 mAh (Panasonic cells)
- Powerbank function: USB port for charging external devices
- Power monitor: 4-stage LED capacity display
- Charge time: 5 h
- Splash resistant in accordance with IP44
- Silicone straps for scratch-proof mounting on the frame
- Weight: 344 g

REMOTE

- Large fluorescent buttons
- Tool-free mounting on the handlebar
- Switch on protection (double click for ON)
- Interference-free 2.4 GHz tranmission
- Splash resistant in accordance with IP44
- Weight: 14 g

PRODUCT WEBSITE:
BUSTER 2000



BUSTER 150

Item no. 19150

BUSTER 150 contents:
BUSTER 150, USB-C cable, silicone mount, operating instructions



PRODUKT-WEBSITE

Item no. 19170

BUSTER 150 / NUGGET II FLASH
Complete set contents:
BUSTER 150, NUGGET II FLASH, USB-C cable, Micro-USB cable



BUSTER 400

Item no. 19600

BUSTER 400 contents:
BUSTER 400, USB-C cable, silicone mount, operating instructions



PRODUKT-WEBSITE

Item no. 19620

BUSTER 400 / BLAZE FLASH
Complete set contents:
BUSTER 400, BLAZE FLASH, USB-C cable, Micro-USB cable



PRODUKT-WEBSITE

Item no. 19630

BUSTER 400 / BUSTER RL 80
Complete set contents:
BUSTER 400, BUSTER RL 80, USB-C cable, Micro-USB cable



BUSTER 800

Item no. 19800

BUSTER 800 contents:
BUSTER 800, USB-C cable, screw-bracket mount, operating instructions



PRODUKT-WEBSITE

Item no. 19830

BUSTER 800 / BUSTER RL 80
Complete set contents:
BUSTER 800, BUSTER RL 80, USB-C cable



PRODUKT-WEBSITE

Item no. 19820

BUSTER 800 / BUSTER RL 150
Complete set contents:
BUSTER 800, BUSTER RL 150, USB-C cable



BUSTER 1100

Item no. 19850

BUSTER 1100 contents:
BUSTER 1100, USB-C cable, Quick charger, screw-bracket mount, operating instructions



PRODUKT-WEBSITE

Item no. 19870

BUSTER 1100 / BUSTER RL 150
Complete set contents:
BUSTER 1100, BUSTER RL 150, USB-C cable, Quick charger



BUSTER 1600

Item no. 19730

BUSTER 1600 contents:
BUSTER 1100, USB-C-cable quick charger, 3D rubber pad, screw-bracket mount, action camera adapter, long screw, operating instructions



BUSTER 2000

Item no. 17000

BUSTER 2000 contents:
BUSTER 2000, BUSTER battery pack, extension cable, charger, screw-bracket, helmet bracket, remote control

ACCESSORIES

00153	00150	00151	00154	20501	18460	18461	18462	00467
BUSTER HELMET BRACKET	SILICONE BRACKET	SCREW-BRACKET	GOPRO FRONT LIGHT ADAPTER	USB CHARGER	USB-C CABLE	CHARGER FAST CHARGER + USB-C CABLE FAST CHARGER	USB-C CABLE FAST CHARGER	BUSTER 2000 HELMET BRACKET
								

BUSTER-SERIES



BUSTER 2000

BEAM RANGE: 200 m



BUSTER 1600

BEAM RANGE: 205 m



BUSTER 1100

BEAM RANGE: 165 m



BUSTER 800

BEAM RANGE: 170 m



BUSTER 400

BEAM RANGE: 120 m



BUSTER 150

BEAM RANGE: 74 m

SIGMA

BUSTER-SERIES HELMET LIGHTS



NEW

BUSTER 150 HL

SMALL, LIGHT, AND WITH PLENTY OF POWER

FEATURES:

- Maximum light output: 150 lumens
- Beam range: 74 m*
- Five light modes: High (150 lm), Mid (75 lm), Low (35 lm), Night flashing (100/40 lm) Day flashing (40 lm)
- Run time: 3 h in High mode, 7.5 h in Mid mode, 14.5 h in Low mode, 5 h in Night flashing mode, 25 h in Day flashing mode
- Charge time: 2.5 h
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA light guide for outstanding visibility
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Integrated USB-C charge function
- Weight: 76 g (incl. bracket)
- OSRAM LED

* Basis ANSI Nema FL1

PRODUCT WEBSITE:
BUSTER 150 HL

NEW

BUSTER 400 HL

ALLROUND, ALL-PURPOSE HELMET LIGHT

FEATURES:

- Maximum light output: 400 lumens
- Beam range: 120 m*
- Five light modes: High (400 lm), Mid (200 lm), Low (100 lm), Night flashing (300/100 lm) Day flashing (100 lm)
- Run time: 2 h in High mode, 4 h in Mid mode, 9 h in Low mode, 5 h in Night flashing mode, 30 h in Day flashing mode
- Charge time: 3 h
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA light guide for outstanding visibility
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Integrated USB-C charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 107 g (incl. bracket)
- OSRAM LED

* Basis ANSI Nema FL1

PRODUCT WEBSITE:
BUSTER 400 HL

BUSTER 800 HL

YOUR LIGHT IN THE DARK

FEATURES:

- Maximum light output: 800 lumens
- Beam range: 170 m*
- Five light modes: High (800 lm), Mid (400 lm), Low (150 lm), Night flashing (600/200 lm) Day flashing (200 lm)
- Run time: 2 h in High mode, 3 h in Mid mode, 9 h in Low mode, 5 h in Night flashing mode, 30 h in Day flashing mode
- Charge time: 4 h
- Switch on protection (double click for ON)
- Splash resistant in accordance with IPX4
- SIGMA light guide for outstanding visibility
- Five pre-set mode profiles
- Mode memory function
- Short button press shows the battery status
- Integrated USB-C charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 150 g (incl. bracket)
- CREE LED

* Basis ANSI Nema FL1

PRODUCT WEBSITE:
BUSTER 800 HL

BUSTER 1100 HL

ULTIMATE POWER FOR MORE SAFETY

FEATURES:

- Maximum light output: 1100 lumens
- Beam range: 165 m*
- Six light modes: High (1100 lm), Mid (800 lm), Low (400 lm), Eco (150 lm), Night flashing (800/400 lm) Day flashing (200 lm)
- Run time: 2 h in High mode, 2.5 h in Mid mode, 5 h in Low mode, 16 h in Eco mode, 5 h in Night flashing mode, 50 h in Day flashing mode
- Charge time: 3 h
- Switch on protection (double click for ON)
- SIGMA light guide for outstanding visibility
- Splash resistant in accordance with IPX4
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Integrated USB-C quick charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 215 g (incl. bracket)
- OSRAM LED

* Basis ANSI Nema FL1

PRODUCT WEBSITE:
BUSTER 1100 HL

NEW

BUSTER 1600 HL

FOR BRIGHTER MOMENTS

FEATURES:

- Maximum light output: 1600 lumens
- Beam range: 205 m*
- Six light modes: High (1600 lm), Mid (1000 lm), Low (500 lm), Eco (150 lm), Night flashing (800/400 lm), Day flashing (200 lm)
- Run time: 1.75 h in High mode, 2.8 h in Mid mode, 6.8 h in Low mode, 18 h in Eco mode, 5 h in Night flashing mode, 50 h in Day flashing mode
- Charge time: 3 h
- Switch on protection (double click for ON)
- SIGMA light guide for outstanding visibility
- Splash resistant in accordance with IPX4
- Five pre-set mode profiles + Mode memory function
- Short button press shows the battery status
- Tool-free mounting
- Integrated USB-C quick charge function
- Six-stage battery indicator and five-stage charge indicator
- Charging possible during operation
- Weight: 215 g (incl. bracket)
- OSRAM LED

* Basis ANSI Nema FL1

PRODUCT WEBSITE:
BUSTER 1600 HL



BUSTER 150 HL

Item no. 19160

BUSTER 150 HL contents:
BUSTER 150 HL, USB-C cable, helmet bracket, operating instructions



BUSTER 400 HL

Item no. 19610

BUSTER 400 HL contents:
BUSTER 400 HL, USB-C cable, helmet bracket, operating instructions



BUSTER 800 HL

Item no. 19810

BUSTER 800 HL contents:
BUSTER 800 HL, USB-C cable, helmet bracket, operating instructions



BUSTER 1100 HL

Item no. 19860

BUSTER 1100 HL contents:
BUSTER 1100 HL, USB-C cable, quick charger, helmet bracket, operating instructions



BUSTER 1600 HL

Item no. 19860

BUSTER 1100 HL contents:
BUSTER 1600 HL, USB-C cable quick charger, helmet bracket, operating instructions

ACCESSORIES

00153
BUSTER HELMET BRACKET



20501
USB CHARGER



18460
USB-C CABLE



18461
CHARGER FAST CHARGER + USB-C CABLE FAST CHARGER



18462
USB-C CABLE FAST CHARGER



BUSTER-SERIES HELMET LIGHTS



BUSTER 1600 HL

BEAM RANGE: 205 m



BUSTER 1100 HL

BEAM RANGE: 165 m



BUSTER 800 HL

BEAM RANGE: 170 m



BUSTER 400 HL

BEAM RANGE: 120 m



BUSTER 150 HL

BEAM RANGE: 74 m

BUSTER-SERIES REAR LIGHTS



BUSTER RL 80

BRIGHT LED REAR LIGHT WITH FLASH FUNCTION

FEATURES:

- 1500 m visibility range
- Five modes: High (25 lm), Low (5 lm), Day flashing (80 lm), Night flashing (15 lm), Eco flashing (5 lm)
- Run time: 2 h in High mode, 7 h in Low mode, 4.5 h in Day flashing mode, 6.5 h in Night flashing mode, 12 h in Eco flashing mode
- Mode memory function
- Short button press shows the battery status
- Charge time: 2 h
- Tool-free mounting with flexible silicone mount
- Integrated USB-C charge function
- 240 degree wide angle optics
- Three-stage battery indicator
- Splash resistant in accordance with IPX4
- Weight: 29 g (incl. bracket)

PRODUCT WEBSITE:
BUSTER RL 80

BUSTER RL 150

FLASHING REAR LIGHT WITH BRAKE LIGHT

FEATURES:

- 2000 m visibility range
- 2 LED brake light function
- Five modes: High (40 lm), Low (5 lm), Day flashing (150 lm), Night flashing (25 lm), Eco flashing (5 lm)
- Run time: 4 h in High mode, 20 h in Low mode, 6 h in Day flashing mode, ≤ 7 h in Night flashing mode, 20 h in Eco flashing mode
- Mode memory function
- Short button press shows the battery status
- Charge time: 3 h
- Tool-free mounting with flexible silicone mount
- Integrated USB-C charge function
- 280 degree wide angle optics
- Three-stage battery indicator
- Splash resistant in accordance with IPX4
- Weight: 38 g (incl. bracket)

PRODUCT WEBSITE:
BUSTER RL 150



BUSTER RL 80

Item no. 15500

BUSTER RL 80 contents:
USB-C cable, silicone mount,
operating instructions



BUSTER RL 150

Item no. 15600

BUSTER RL 150 contents:
USB-C cable, silicone mount,
operating instructions

ACCESSORIES

00152	00157	18460	20501
SILICONE MOUNT BUSTER RL80 / RL 150	BUSTER RL EXTENDED SILICONE MOUNT FOR AERO SEATPOST	USB-C CABLE	USB CHARGER
			



SIGMA REMOTE ONE



SIGMA REMOTE ONE

SAFE AND SMART CONTROL

FEATURES:

- 1-channel SIGMA BLE
- Remote Control
- 1 year battery life
- Compatible with:
  - SIGMA RIDE APP
  - EOX® VIEW 700
  - ROX 4.0 / ROX 4.0 ENDURANCE
  - ROX 11.1 EVO / ROX 12.1 EVO (from 03.2025)



PRODUCT WEBSITE:
REMOTE ONE

Item no. 00551

REMOTE ONE contents:
REMOTE ONE, attachment material,
quick-start instructions

SIGMA

POCKET TOOLS



POCKET TOOL SMALL

8 TOOLS FOR THE MINIMALIST

FEATURES:

- Phillips screwdriver
- Slot screwdriver
- Spanner T25
- 2.5 / 3 / 4 / 5 / 8 mm Allen key
- Dimension: 74 x 29 x 11 mm
- Weight: 76 g

PRODUCT WEBSITE:
POCKET TOOL SMALL

Item no. 63000

POCKET TOOL SMALL contents:
POCKET TOOL SMALL with Phillips screwdriver, Slot screwdriver,
Spanner T25, 2,5 / 3 / 4 / 5 / 8 mm Allen key

POCKET TOOL MEDIUM

17 TOOLS, MANY POSSIBILITIES

FEATURES:

- Phillips screwdriver
- Slot screwdriver
- Spanner T25
- 2.5 / 3 / 4 / 5 / 8 mm Allen key
- Chain rivet
- Spoke wrench for 4 nipple sizes
- 2 Tyre levers
- Bottle opener
- Dimension: 96 x 48 x 11 mm
- Weight: 125 g

PRODUCT WEBSITE:
POCKET TOOL MEDIUM

Item no. 63001

POCKET TOOL MEDIUM contents:
POCKET TOOL MEDIUM with Phillips screwdriver, Slot screwdriver
Spanner T25, 2,5 / 3 / 4 / 5 / 6 / 8 mm Allen key,
Chain rivet, Spoke wrench for 4 nipple sizes, 2 Tyre levers, Bottle opener

POCKET TOOL LARGE

22 TOOLS FOR MECHANICS

FEATURES:

- Phillips screwdriver
- Slot screwdriver
- Spanner T20 / T25
- 2.5 / 3 / 4 / 5 /6 / 8 mm Allen key
- 8 mm hex key
- Chain rivet
- Chain holder
- Valve key
- Spoke wrench for 4 nipple sizes
- 2 Tyre levers
- Brake pad tool
- Knife
- Bottle opener
- Dimension: 86 x 47 x 21 mm
- Weight: 184 g

PRODUCT WEBSITE:
POCKET TOOL LARGE

Item no. 63002

POCKET TOOL LARGE contents:
POCKET TOOL LARGE with Phillips screwdriver, Slot screwdriver
Spanner T20 / T25, 2,5 / 3 / 4 / 5 / 6 / 8 mm Allen key,
8 mm hex key, Chain rivet, Chain holder, Valve key,
Spoke wrench for 4 nipple sizes, 2 Tyre levers, Brake pad tool, Knife,
Bottle opener

SIGMA-ELEKTRO GmbH
Dr.-Julius-Leber-Straße 15
67433 Neustadt/Wstr.
Germany
service@sigma.bike
sigma.bike













